Общий список

Статьи:

1. Sirunyan A. et al. (CMS Collaboration). Correlations of azimuthal anisotropy Fourier harmonics with subevent cumulants in $pPb\ collisions at \sqrt{s_{NN}}=\$8.16TeV // Phys.Rev.C103: 1, 014902, 2021. DOI: 10.1103/PhysRevC.103.014902. ПРНД = 3,199*30*0,007 = 0,67$

2. Sirunyan A. et al. (CMS Collaboration). Measurement of b jet shapes in proton-proton collisions at s = 5.02 TeV // JHEP 5: 54, 2021. DOI: 10.1007/JHEP05(2021)054. IIPH μ = 6,379*30*0,007 = 1,34

3. Sirunyan A. et al. (CMS Collaboration). Measurement of the azimuthal anisotropy of Image 1 and Image 2 mesons in PbPb collisions at sNN=5.02TeV // Phys.Lett.B819: 136385, 2021. DOI: 10.1016/j.physletb.2021.136385. ПРНД = 4,950*30*0,007 = 1,04

4. Sirunyan A. et al. (CMS Collaboration). Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at s = 13 TeV // JHEP 3: 3, 2021. DOI: 10.1007/JHEP03(2021)003. Π PH μ = 6,379*30*0,007 = 1,34

5. Sirunyan A. et al. (CMS Collaboration). Measurement of the CP-violating phase $\$ in the B^0_mathrm{s}\to J\$/\psi\, \phi\$(1020) \$\to \mu^+\mu^- \$K\$^+\$K\$^-\$ channel in proton-proton collisions at $\$ I36188, 2021. DOI: 10.1016/j.physletb.2021.136188. $\Pi PHJ = 4,950*30*0,007 = 1,04$

6. Sirunyan A. et al. (CMS Collaboration). Search for the lepton flavor violating decay $\lambda s \gg 13 \text{ TeV} // \text{ JHEP 1: } 163, 2021.$ DOI: 10.1007/JHEP01(2021)163. $\Pi PH \square = 6,379 \times 30 \times 0,007 = 1,34$

7. Sirunyan A. et al. (CMS Collaboration). Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\operatorname{S}=13 \text{ TeV} //$ Eur.Phys.J.C81: 1, 13, 2021. DOI: 10.1140/epjc/s10052-020-08739-5. $\Pi PH \square = 4,991*30*0,007 = 1,05$

8. Sirunyan A. et al. (CMS Collaboration). Search for top squark pair production using dilepton final states in $\{ \text{text } p\}$ collision data collected at $\s=13\,\text$ {TeV} // Eur.Phys.J.C81: 1, 3, 2021. DOI: 10.1140/epjc/s10052-020-08701-5. ПРНД = 4,991*30*0,007 = 1,05

9. Sirunyan A. et al. (CMS Collaboration). Evidence for electroweak production of four charged leptons and two jets in proton-proton collisions at s = 13 TeV //Phys.Lett.B812: 135992, 2021. DOI: 10.1016/j.physletb.2020.135992. $\Pi PH \square = 4,950*30*0,007 = 1,04$

10. Sirunyan A. et al. (CMS Collaboration). Measurement of differential \$\mathrm{t\bar{t}}\$ production cross sections using top quarks at large transverse momenta in \$pp\$ collisions at \$\sqrt{s} =\$ 13 TeV // Phys.Rev.D103: 5, 052008, 2021. DOI: 10.1103/PhysRevD.103.052008. ПРНД = 5,407*30*0,007 = 1,14

11. Sirunyan A. et al. (CMS Collaboration). Measurements of $\{ mathrm{p} \}$ {\mathrm{p}} \rightarrow {\mathrm{Z}} {\mathrm{Z}} \$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13$,\text {TeV} \$ // Eur.Phys.J.C81: 3, 200, 2021. DOI: 10.1140/epjc/s10052-020-08817-8. IIPH $\mathcal{I} = 4,991*30*0,007 = 1,05$

12. Sirunyan A. et al. (CMS Collaboration). Evidence for Higgs boson decay to a pair of muons // JHEP 1: 148, 2021. DOI: 10.1007/JHEP01(2021)148. ПРНД = 6,379*30*0,007 = 1,34

1

13. Sirunyan A. et al. (CMS Collaboration). Studies of charm and beauty hadron long-range correlations in pp and pPb collisions at LHC energies // Phys.Lett.B813: 136036, 2021. DOI: 10.1016/j.physletb.2020.136036. $\Pi PH \square = 4,950 \times 30 \times 0,007 = 1,04$

14. Sirunyan A. et al. (CMS Collaboration). Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton-proton collisions at $\sigma = 13 \text{ TeV} // \text{Phys.Lett.B812}$: 136018, 2021. DOI: 10.1016/j.physletb.2020.136018. IIPH $\mathcal{I} = 4,950*30*0,007 = 1,04$

15. Sirunyan A. et al. (CMS Collaboration). Measurement of prompt ${\rm D^0}$ and ${\rm I} = 0$ and ${\rm N} = 0$ a

16. Sirunyan A. et al. (CMS Collaboration). Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $\frac{1}{8} = 13 \text{ TeV} // \text{ JHEP}$ 3: 11, 2021. DOI: 10.1007/JHEP03(2021)011. $\Pi PH \square = 6,379 \times 30 \times 0,007 = 1,34$

18. Sirunyan A. et al. (CMS Collaboration). Angular analysis of the decay B\$^+\$ χs K\$^*(892)^+ $\mu u^+ \mu u^-$ \$ in proton-proton collisions at γs 2021. DOI: 10.1007/JHEP04(2021)124. $\Pi PH \square = 6,379*30*0,007 = 1,34$

19. Khachatryan V. et al. (CMS Collaboration). The very forward CASTOR calorimeter of the CMS experiment // JINST 16: 02, P02010, 2021. DOI: 10.1088/1748-0221/16/02/P02010. $\Pi PH \square = 1,121*30*0,007 = 0,24$

20. Sirunyan A. et al. (CMS Collaboration). Development and validation of HERWIG 7 tunes from CMS underlying-event measurements // Eur.Phys.J.C81: 4, 312, 2021. DOI: 10.1140/epjc/s10052-021-08949-5. $\Pi PH \square = 4,991*30*0,007 = 1,05$

21. Sirunyan A. et al. (CMS Collaboration). Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sigma = 13 \text{ TeV} // \text{Eur.Phys.J.C81}$: 4, 378, 2021. DOI: 10.1140/epjc/s10052-021-09014-x. $\Pi PH \square = 4,991*30*0,007 = 1,05$

22. Sirunyan A. et al. (CMS Collaboration). Observation of Forward Neutron Multiplicity Dependence of Dimuon Acoplanarity in Ultraperipheral Pb-Pb Collisions at \$\sqrt{s_{NN}}\$=5.02 TeV // Phys.Rev.Lett. 127: 12, 122001, 2021. DOI: 10.1103/PhysRevLett.127.122001. ПРНД = 9,185*30*0,007 = 1,93

23. Sirunyan A. et al. (CMS Collaboration). Search for the rare decay of the W boson into a pion and a photon in proton-proton collisions at s=13TeV // Phys.Lett.B819: 136409, 2021. DOI: 10.1016/j.physletb.2021.136409. $\Pi PH \square = 4,950*30*0,007 = 1,04$

24. Sirunyan A. et al. (CMS Collaboration). Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at \sqrt{sqrt} = 13 TeV // JHEP 3: 257, 2021. DOI: 10.1007/JHEP03(2021)257. ПРНД = 6,379*30*0,007 = 1,34

25. Sirunyan A. et al. (CMS Collaboration). Search for long-lived particles using displaced jets in proton-proton collisions at s = 13 TeV // Phys.Rev.D104: 1, 012015, 2021. DOI: 10.1103/PhysRevD.104.012015. $\Pi PH \square = 5,407*30*0,007 = 1,14$

26. Sirunyan A. et al. (CMS Collaboration). Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at s=13 TeV // JHEP 4: 109, 2021. DOI: 10.1007/JHEP04(2021)109. ПРНД = 6,379*30*0,007 = 1,34

27. Sirunyan A. et al. (CMS Collaboration). Search for new physics in top quark production with additional leptons in proton-proton collisions at s = 13 TeV using effective field theory // JHEP 3: 95, 2021. DOI: 10.1007/JHEP03(2021)095. ПРНД = 6,379*30*0,007 = 1,34

28. Sirunyan A. et al. (CMS Collaboration). Search for singly and pair-produced leptoquarks coupling to third-generation fermions in proton-proton collisions at s=13 TeV // Phys.Lett.B819: 136446, 2021. DOI: 10.1016/j.physletb.2021.136446. $\Pi PH \square = 4,950*30*0,007 = 1,04$

29. Sirunyan A. et al. (CMS Collaboration). Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC // JINST 16: 05, P05014, 2021. DOI: 10.1088/1748-0221/16/05/P05014. $\Pi PH \square = 1,121*30*0,007 = 0,24$

30. Sirunyan A. et al. (CMS Collaboration). Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $\operatorname{s} = 13 \text{ TeV} // \text{ JHEP 4}$: 123, 2021. DOI: 10.1007/JHEP04(2021)123. ПРНД = 6,379*30*0,007 = 1,34

31. Sirunyan A. et al. (CMS Collaboration). First measurement of the cross section for top quark pair production with additional charm jets using dileptonic final states in pp collisions at s=13TeV // Phys.Lett.B820: 136565, 2021. DOI: 10.1016/j.physletb.2021.136565. $\Pi PH \square = 4,950*30*0,007 = 1,04$

32. Sirunyan A. et al. (CMS Collaboration). Measurement of the Z boson differential production cross section using its invisible decay mode (Z $\nu\bar{\nu}\$) in proton-proton collisions at $\section = 13$ TeV // JHEP 5: 205, 2021. DOI: 10.1007/JHEP05(2021)205. ПРНД = 6,379*30*0,007 = 1,34

33. Sirunyan A. et al. (CMS Collaboration). In-medium modification of dijets in PbPb collisions at $\frac{s_{\infty}}{10.1007/JHEP05(2021)116}$. IPH $\mathcal{I} = 6,379*30*0,007 = 1,34$

34. Sirunyan A. et al. (CMS Collaboration). Measurements of the differential cross sections of the production of Z + jets and $\sigma Z = 13 \text{ TeV} // \text{ JHEP 5}$: 285, 2021. DOI: 10.1007/JHEP05(2021)285. $\Pi PHJ = 6,379*30*0,007 = 1,34$

35. Sirunyan A. et al. (CMS Collaboration). Measurement of the W\$\gamma\$ Production Cross Section in Proton-Proton Collisions at $s\sqrt \{s\}=13$ TeV and Constraints on Effective Field Theory Coefficients // Phys.Rev.Lett. 126: 25, 252002, 2021. DOI: 10.1103/PhysRevLett.126.252002. $\Pi PH \Pi = 9,185*30*0,007 = 1,93$

36. Sirunyan A. et al. (CMS Collaboration). Observation of a New Excited Beauty Strange Baryon Decaying to\$\Xi^-_\mathrm{b} \pi^+ \pi^-\$ // Phys.Rev.Lett. 126: 25, 252003, 2021. DOI: 10.1103/PhysRevLett.126.252003. ПРНД = 9,185*30*0,007 = 1,93

37. Sirunyan A. et al. (CMS Collaboration). Performance of the CMS muon trigger system in proton-proton collisions at s = 13 TeV // JINST 16: P07001, 2021. DOI: 10.1088/1748-0221/16/07/P07001. $\Pi PH \mu = 1,121*30*0,007 = 0,24$

38. Sirunyan A. et al. (TOTEM and CMS Collaborations). Hard color-singlet exchange in dijet events in proton-proton collisions at s = 13 TeV // Phys.Rev.D104: 32009, 2021. DOI: 10.1103/PhysRevD.104.032009. $\Pi PH \square = 5,407*30*0,007 = 1,14$

39. Sirunyan A. et al. (CMS Collaboration). Search for top squarks in final states with two top quarks and several light-flavor jets in proton-proton collisions at $s^{r} = 13 \text{ TeV} // \text{Phys.Rev.D104: } 3,032006,2021. \text{ DOI: } 10.1103/\text{PhysRevD.104.032006. } \Pi PHJ = 5,407*30*0,007 = 1,14$

40. Sirunyan A. et al. (CMS Collaboration). Search for a heavy vector resonance decaying to a $\{ \max\{Z\} \in \{V\} \\ 13, text \{V\} \\ 10.1140/epjc/s10052-021-09348-6. \\ \Pi PHJ = 4,991*30*0,007 = 1,05 \\ \end{tabular}$

41. Sirunyan A. et al. (CMS Collaboration). Measurements of angular distance and momentum ratio distributions in three-jet and Z + two-jet final states in pp collisions // Eur.Phys.J.C81: 852, 2021. DOI: 10.1140/epjc/s10052-021-09570-2. $\Pi PH \square = 4,991*30*0,007 = 1,05$

42. Sirunyan A.M. et al. (CMS Collaboration). Evidence for X(3872) in Pb-Pb Collisions and Studies of its Prompt Production at $s_{sqrt} {s_{NN}} = 5.02 \text{ TeV} // Phys.Rev.Lett. 128: 3, 032001, 2022. DOI: 10.1103/PhysRevLett.128.032001. <math>\Pi PHJ = 9.185 \times 30 \times 0.007 = 1.93$

43. Sirunyan A. et al. (CMS Collaboration). First measurement of large area jet transverse momentum spectra in heavy-ion collisions // JHEP 5: 284, 2021. DOI: 10.1007/JHEP05(2021)284. $\Pi PH \square = 6,379*30*0,007 = 1,34$

44. Sirunyan A. et al. (CMS Collaboration). Study of Drell-Yan dimuon production in proton-lead collisions at $\sigma = 8.16 \text{ TeV} // \text{ JHEP 5}$: 182, 2021. DOI: 10.1007/JHEP05(2021)182. $\Pi PHJ = 6,379*30*0,007 = 1,34$

45. Sirunyan A. et al. (CMS Collaboration). Search for top squark production in fully-hadronic final states in proton-proton collisions at s = 13 TeV // Phys.Rev.D104: 5, 052001, 2021. DOI: 10.1103/PhysRevD.104.052001. $\Pi PH \square = 5,407*30*0,007 = 1,14$

46. Sirunyan A. et al. (CMS Collaboration). Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $\frac{13 \text{ TeV}}{1007}$ (JHEP 7: 208, 2021. DOI: 10.1007/JHEP07(2021)208. $\Pi PHJI = 6,379*30*0,007 = 1,34$

47. Sirunyan A.M. et al. (CMS Collaboration). Using Z Boson Events to Study Parton-Medium Interactions in Pb-Pb Collisions // Phys.Rev.Lett. 128: 12, 122301, 2022. DOI: 10.1103/PhysRevLett.128.122301. $\Pi PH \square = 9,185 \times 30 \times 0,007 = 1,93$

48. Sirunyan A. et al. (CMS Collaboration). Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at $s^{s} = 13$, text {Te}\text {V} \$ // Eur.Phys.J.C81: 6, 488, 2021. DOI: 10.1140/epjc/s10052-021-09200-x. $\Pi PHJ = 4,991*30*0,007 = 1,05$

49. Sirunyan A. et al. (CMS Collaboration). Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\operatorname{s}_{sqrt}_{mathrm{s}} = 13 \text{ TeV} // JHEP 7: 27, 2021. DOI: 10.1007/JHEP07(2021)027. IIPHA = 6,379*30*0,007 = 1,34$

50. Sirunyan A. et al. (CMS Collaboration). Constraints on the Initial State of Pb-Pb Collisions via Measurements of Z-Boson Yields and Azimuthal Anisotropy at $\operatorname{S}_{s} = 5.02 \text{ TeV} // Phys.Rev.Lett. 127: 10, 102002, 2021. DOI: 10.1103/PhysRevLett.127.102002. <math>\Pi PH \mathcal{I} = 9,185 \times 30 \times 0,007 = 1,93$

51. Sirunyan A. et al. (CMS Collaboration). Precision luminosity measurement in protonproton collisions at $sqrt{s} = 13$ TeV in 2015 and 2016 at CMS // Eur.Phys.J.C81: 9, 800, 2021. DOI: 10.1140/epjc/s10052-021-09538-2. ПРНД = 4,991*30*0,007 = 1,05

52. Sirunyan A. et al. (CMS Collaboration). Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at $\operatorname{s} = 13$, {\text {TeV}} \$ // Eur.Phys.J.C81: 8, 723, 2021. DOI: 10.1140/epjc/s10052-021-09472-3. $\Pi PH \mathcal{I} = 4,991*30*0,007 = 1,05$

53. Sirunyan A. et al. (CMS Collaboration). Search for W' bosons decaying to a top and a bottom quark at s=13TeV in the hadronic final state // Phys.Lett.B820: 136535, 2021. DOI: 10.1016/j.physletb.2021.136535. $\Pi PH \square = 4,950 \times 30 \times 0,007 = 1,04$

54. Sirunyan A. et al. (CMS Collaboration). Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state // Phys.Rev.D104: 5, 052004, 2021. DOI: 10.1103/PhysRevD.104.052004. $\Pi PH \square = 5,407*30*0,007 = 1,14$

55. Sirunyan A. et al. (CMS Collaboration). Search for a heavy resonance decaying to a top quark and a W boson at $\operatorname{s} = 13 \text{ TeV}$ in the fully hadronic final state // JHEP 12: 106, 2021. DOI: 10.1007/JHEP12(2021)106. ПРНД = 6,379*30*0,007 = 1,34

56. Sirunyan A. et al. (CMS Collaboration). Search for long-lived particles decaying to jets with displaced vertices in proton-proton collisions at $\operatorname{s}=13 \text{ TeV} // \text{Phys.Rev.D104}$: 5, 052011, 2021. DOI: 10.1103/PhysRevD.104.052011. $\Pi PH \square = 5,407*30*0,007 = 1,14$

57. Sirunyan A. et al. (CMS Collaboration). Search for lepton-flavor violating decays of the Higgs boson in the $\mu = 13 \text{ TeV} // \text{Phys.Rev.D104}$: 3, 032013, 2021. DOI: 10.1103/PhysRevD.104.032013. IIPH $\mathcal{I} = 5,407*30*0,007 = 1,14$

58. Tumasyan A. et al. (CMS Collaboration). Search for strongly interacting massive particles generating trackless jets in proton–proton collisions at $\operatorname{s} = 13$, text {TeV} // Eur.Phys.J.C82: 3, 213, 2022. DOI: 10.1140/epjc/s10052-022-10095-5. ПРНД = 4,991*30*0,007 = 1,05

60. Tumasyan A. et al. (CMS Collaboration). Study of Z boson plus jets events using variables sensitive to double-parton scattering in pp collisions at 13 TeV // JHEP 10: 176, 2021. DOI: 10.1007/JHEP10(2021)176. $\Pi PH \square = 6,379*30*0,007 = 1,34$

61. Tumasyan A. et al. (CMS Collaboration). Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the $\lambda au au bb final state at 13 TeV // JHEP 11: 57, 2021.$ DOI: 10.1007/JHEP11(2021)057. ΠΡΗД = 6,379*30*0,007 = 1,34

62. Tumasyan A. et al. (CMS Collaboration). Search for W\$\gamma\$ resonances in proton-proton collisions at s=\$ 13 TeV using hadronic decays of Lorentz-boosted W bosons // Phys.Lett.B826: 136888, 2022. DOI: 10.1016/j.physletb.2022.136888. $\Pi PH \square = 4,950*30*0,007 = 1,04$

63. Tumasyan A. et al. (CMS Collaboration). Measurement of the electroweak production of Z $\s\s = 13$ TeV and

constraints on anomalous quartic gauge couplings // Phys.Rev.D104: 72001, 2021. DOI: 10.1103/PhysRevD.104.072001. ПРНД = 5,407*30*0,007 = 1,14

65. Tumasyan A. et al. (CMS Collaboration). Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\frac{s}{s} = 13 \text{ TeV} // \text{ JHEP 4: } 147, 2022. DOI: 10.1007/JHEP04(2022)147. \Pi PHJ = 6,379*30*0,007 = 1,34$

66. Tumasyan A. et al. (CMS Collaboration). Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at s=5.02 TeV Using Leptonic Decays // Phys.Rev.Lett. 127: 19, 191801, 2021. DOI: 10.1103/PhysRevLett.127.191801. ПРНД = 9,185*30*0,007 = 1,93

67. Tumasyan A. et al. (CMS Collaboration). Measurement of prompt open-charm production cross sections in proton-proton collisions at $\frac{s}{13 \text{ TeV}} = 13 \text{ TeV} // \text{ JHEP 11}$: 225, 2021. DOI: 10.1007/JHEP11(2021)225. ΠΡΗ $\mathcal{I} = 6,379*30*0,007 = 1,34$

68. Tumasyan A. et al. (CMS Collaboration). Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at s= 13\,\text {Te}\text {V} \$ // Eur.Phys.J.C81: 11, 970, 2021. DOI: 10.1140/epjc/s10052-021-09721-5. Π PH \mathcal{I} = 4,991*30*0,007 = 1,05

69. Tumasyan A. et al. (CMS Collaboration). Measurement of the inclusive and differential Higgs boson production cross sections in the decay mode to a pair of α leptons in pp collisions at $\gamma = 13 \text{ TeV} // \text{Phys.Rev.Lett. } 128: 8, 081805, 2022. \text{ DOI:} 10.1103/PhysRevLett. } 128.081805. \Pi PHJ = 9,185*30*0,007 = 1,93$

70. Tumasyan A. et al. (CMS Collaboration). Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb $^{-1}$ of proton-proton collisions at $\operatorname{s}_{-1} = 13 \text{ TeV} // \text{ JHEP 10: } 45, 2021. \text{ DOI: } 10.1007/\text{JHEP10}(2021)045. \Pi PH = 6,379*30*0,007 = 1,34$

71. Tumasyan A. et al. (CMS Collaboration). Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV} // \text{ JHEP 11: } 153, 2021. \text{ DOI: } 10.1007/\text{JHEP11}(2021)153. \Pi PH = 6,379*30*0,007 = 1,34$

72. Lee K. et al. (CMS Collaboration). Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\left| sqrt{s} \right| = 13$ TeV // JHEP 12: 83, 2021. DOI: 10.1007/JHEP12(2021)083. IIPH= 6,379*30*0,007 = 1,34

73. Tumasyan A. et al. (CMS Collaboration). Measurement of differential t bar t production cross sections in the full kinematic range using lepton+jets events from proton-proton collisions at s TeV // Phys.Rev.D104: 9, 092013, 2021. DOI: 10.1103/PhysRevD.104.092013. $\Pi PH \mu = 5,407*30*0,007 = 1,14$

74. Tumasyan A. et al. (CMS Collaboration). Observation of tW production in the single-lepton channel in pp collisions at $\frac{s}{s} = 13 \text{ TeV} // \text{ JHEP } 11: 111, 2021. \text{ DOI:} 10.1007/\text{JHEP}11(2021)111. \Pi PH = 6,379*30*0,007 = 1,34$

75. Tumasyan A. et al. (CMS Collaboration). Observation of Bs0 mesons and measurement of the Bs0/B+ yield ratio in PbPb collisions at Image 1 TeV // Phys.Lett.B829: 137062, 2022. DOI: 10.1016/j.physletb.2022.137062. ПРНД = 4,950*30*0,007 = 1,04

76. Tumasyan A. et al. (CMS Collaboration). Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions // JHEP 1: 188, 2022. DOI: 10.1007/JHEP01(2022)188. $\Pi PH \square = 6,379*30*0,007 = 1,34$

77. Tumasyan A. et al. (CMS Collaboration). Search for heavy resonances decaying to WW, WZ, or WH boson pairs in the lepton plus merged jet final state in proton-proton collisions at s= 13 TeV // Phys.Rev.D105: 3, 032008, 2022. DOI: 10.1103/PhysRevD.105.032008. $\Pi PH \mu = 5,407*30*0,007 = 1,14$

78. Tumasyan A. et al. (CMS Collaboration). Search for heavy resonances decaying to $Z({nu}bar{nu})V(q\bar{q}')$ in proton-proton collisions at $s^{r}(s) = 13 \text{ TeV} //$ Phys.Rev.D106: 1, 012004, 2022. DOI: 10.1103/PhysRevD.106.012004. ПРНД = 5,407*30*0,007 = 1,14

79. Tumasyan A. et al. (CMS Collaboration). Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at \sqrt{sqrt} = 13 TeV // JHEP 1: 177, 2022. DOI: 10.1007/JHEP01(2022)177. ПРНД = 6,379*30*0,007 = 1,34

80. Tumasyan A. et al. (CMS Collaboration). Search for long-lived particles decaying to leptons with large impact parameter in proton–proton collisions at $s=13,\t Te}\t Te}\t V$ \$ // Eur.Phys.J.C82: 2, 153, 2022. DOI: 10.1140/epjc/s10052-022-10027-3. ПРНД = 4,991*30*0,007 = 1,05

81. Tumasyan A. et al. (CMS Collaboration). Analysis of the \$CP\$ structure of the Yukawa coupling between the Higgs boson and $\lambda = 13 \text{ TeV} // \text{ JHEP 6}$: 12, 2022. DOI: 10.1007/JHEP06(2022)012. $\Pi PH \square = 6,379*30*0,007 = 1,34$

82. Tumasyan A. et al. (TOTEM and CMS Collaborations). First Search for Exclusive Diphoton Production at High Mass with Tagged Protons in Proton-Proton Collisions at \$\sqrt s\$ = 13 TeV // Phys.Rev.Lett. 129: 1, 011801, 2022. DOI: 10.1103/PhysRevLett.129.011801. ПРНД = 9,185*30*0,007 = 1,93

83. Tumasyan A. et al. (CMS Collaboration). Measurement of the inclusive and differential WZ production cross sections, polarization angles, and triple gauge couplings in pp collisions at $\sigma = 13 \text{ TeV} // \text{ JHEP 7: } 32, 2022. \text{ DOI: } 10.1007/\text{JHEP07}(2022)032. \Pi PHJ = 6,379*30*0,007 = 1,34$

84. Tumasyan A. et al. (CMS Collaboration). Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $\searchargen = 13 \text{ TeV} // \text{ JHEP 3: 160}$, 2022. DOI: 10.1007/JHEP03(2022)160. $\Pi PHJ = 6,379*30*0,007 = 1,34$

85. Tumasyan A. et al. (CMS Collaboration). Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at s, $t_s=13$, $t_s=$

86. Tumasyan A. et al. (CMS Collaboration). Search for Flavor-Changing Neutral Current Interactions of the Top Quark and Higgs Boson in Final States with Two Photons in Proton-Proton Collisions at \$\sqrt{s}=13\text{ }\text{ }\mathrm{TeV}} // Phys.Rev.Lett. 129: 3, 032001, 2022. DOI: 10.1103/PhysRevLett.129.032001. ПРНД = 9,185*30*0,007 = 1,93

87. Tumasyan A. et al. (CMS Collaboration). Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sigma = 13 \text{ TeV} // \text{ JHEP 2: } 107, 2022. \text{ DOI: } 10.1007/\text{JHEP02}(2022)107. IIPHJ = 6,379*30*0,007 = 1,34$

88. Tumasyan A. et al. (CMS Collaboration). A new calibration method for charm jet identification validated with proton-proton collision events at s=13 TeV // JINST 17: 03, P03014, 2022. DOI: 10.1088/1748-0221/17/03/P03014. ΠΡΗД = 1,121*30*0,007 = 0,24

89. Tumasyan A. et al. (CMS Collaboration). Study of dijet events with large rapidity separation in proton-proton collisions at $\frac{1}{s} = 2.76 \text{ TeV} // \text{ JHEP 3}$: 189, 2022. DOI: 10.1007/JHEP03(2022)189. $\Pi PH \square = 6,379 \times 30 \times 0,007 = 1,34$

90. Tumasyan A. et al. (CMS Collaboration). Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \sqrt{sqrt} = 13 TeV // JHEP 4: 91, 2022. DOI: 10.1007/JHEP04(2022)091. ПРНД = 6,379*30*0,007 = 1,34

91. Tumasyan A. et al. (CMS Collaboration). Strategies and performance of the CMS silicon tracker alignment during LHC Run 2 // Nucl.Instrum.Meth.A 1037: 166795, 2022. DOI: 10.1016/j.nima.2022.166795. ПРНД = 1,335*30*0,007 = 0,28

92. Tumasyan A. et al. (CMS Collaboration). Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sigma = 13 \text{ TeV} // \text{ JHEP 4: } 48$, 2022. DOI: 10.1007/JHEP04(2022)048. IIPH $\mathcal{I} = 6,379*30*0,007 = 1,34$

93. Tumasyan A. et al. (CMS Collaboration). Addendum to: Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{\left(\frac{s}{J}\right)} = 13 \text{ TeV} // \text{ JHEP 12: } 35, 2022. \text{ DOI: } 10.1007/\text{JHEP12}(2022)035, 10.1007/\text{JHEP02}(2022)142. \Pi PHJ = 6,379*30*0,007 = 1,34$

94. Tumasyan A. et al. (CMS Collaboration). Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sigma = 13 \text{ TeV} // \text{ JHEP 4}$: 87, 2022. DOI: 10.1007/JHEP04(2022)087. $\Pi PH \square = 6,379 \times 30 \times 0,007 = 1,34$

95. Tumasyan A. et al. (CMS Collaboration). Measurement of W\$^\pm\gamma\$ differential cross sections in proton-proton collisions at s=13 TeV and effective field theory constraints // Phys.Rev.D105: 5, 052003, 2022. DOI: 10.1103/PhysRevD.105.052003. IIPH $\mu = 5,407*30*0,007 = 1,14$

96. Tumasyan A. et al. (CMS Collaboration). Measurements of the associated production of a W boson and a charm quark in proton–proton collisions at $\operatorname{s}=8,\operatorname{text} \{\text{TeV}\} //$ Eur.Phys.J.C82: 12, 1094, 2022. DOI: 10.1140/epjc/s10052-022-10897-7. ПРНД = 4,991*30*0,007 = 1,05

97. Tumasyan A. et al. (CMS Collaboration). Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at \sqrt{sqrt} = 13 TeV // JHEP 5: 5, 2022. DOI: 10.1007/JHEP05(2022)005. ПРНД = 6,379*30*0,007 = 1,34

98. Tumasyan A. et al. (CMS Collaboration). Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\frac{13 \text{ TeV}}{10.1007/\text{JHEP}}$ 4: 47, 2022. DOI: 10.1007/JHEP04(2022)047. $\Pi PH \square = 6,379*30*0,007 = 1,34$

99. Tumasyan A. et al. (CMS Collaboration). Evidence for WW/WZ vector boson scattering in the decay channel ℓ vqq produced in association with two jets in proton-proton collisions at s=13 TeV // Phys.Lett.B834: 137438, 2022. DOI: 10.1016/j.physletb.2022.137438. IIPH μ = 4,950*30*0,007 = 1,04

100. Tumasyan A. et al. (CMS Collaboration). Measurement of the inclusive $\operatorname{T}_{t} \operatorname{CMS}_{t}$

\sqrt{s} \$ = 5.02 TeV // JHEP 4: 144, 2022. DOI: 10.1007/JHEP04(2022)144. ПРНД = 6,379*30*0,007 = 1,34

101. Tumasyan A. et al. (CMS Collaboration). Measurement of the production cross section for Z+b jets in proton-proton collisions at $s = 13 \text{ TeV} // \text{Phys.Rev.D105: 9}, 092014, 2022. \text{DOI: } 10.1103/\text{PhysRevD.105.092014}. \Pi \text{PH} = 5,407*30*0,007 = 1,14$

102. Tumasyan A. et al. (CMS Collaboration). Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \sqrt{sqrt} = 13 TeV // JHEP 2: 169, 2022. DOI: 10.1007/JHEP02(2022)169. ПРНД = 6,379*30*0,007 = 1,34

103. Tumasyan A. et al. (CMS Collaboration). Search for resonant production of strongly coupled dark matter in proton-proton collisions at 13 TeV // JHEP 6: 156, 2022. DOI: $10.1007/JHEP06(2022)156. \Pi PH \square = 6,379*30*0,007 = 1,34$

104. Tumasyan A. et al. (CMS Collaboration). Probing Charm Quark Dynamics via Multiparticle Correlations in Pb-Pb Collisions at \$\sqrt{s_\mathrm{NN}}\$ =5.02 TeV // Phys.Rev.Lett. 129: 2, 022001, 2022. DOI: 10.1103/PhysRevLett.129.022001. ПРНД = 9,185*30*0,007 = 1,93

105. Tumasyan A. et al. (CMS Collaboration). Search for resonances decaying to three \$W\$ bosons in the hadronic final state in proton-proton collisions at s=13 TeV // Phys.Rev.D106: 1, 012002, 2022. DOI: 10.1103/PhysRevD.106.012002. $\Pi PH \square = 5,407*30*0,007 = 1,14$

106. Tumasyan A. et al. (CMS Collaboration). Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\s = 13$ TeV collected with a dedicated high-rate data stream // JHEP 4: 62, 2022. DOI: 10.1007/JHEP04(2022)062. ПРНД = 6,379*30*0,007 = 1,34

107. Tumasyan A. et al. (CMS Collaboration). Search for high-mass resonances decaying to a jet and a Lorentz-boosted resonance in proton-proton collisions at s=13TeV // Phys.Lett.B832: 137263, 2022. DOI: 10.1016/j.physletb.2022.137263. ПРНД = 4,950*30*0,007 = 1,04

108. Tumasyan A. et al. (CMS Collaboration). Search for single production of a vectorlike T quark decaying to a top quark and a Z boson in the final state with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV} // \text{ JHEP 5: 93, 2022. DOI:}$ 10.1007/JHEP05(2022)093. $\Pi PH \square = 6,379*30*0,007 = 1,34$

109. Tumasyan A. et al. (CMS Collaboration). Observation of the B_c^+ Meson in Pb-Pb and pp Collisions at $\operatorname{Sqrt}{s_{NN}}$ =5.02 TeV and Measurement of its Nuclear Modification Factor // Phys.Rev.Lett. 128: 25, 252301, 2022. DOI: 10.1103/PhysRevLett.128.252301. $\Pi PH \mu = 9,185 \times 30 \times 0,007 = 1,93$

110. Tumasyan A. et al. (CMS Collaboration). Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\frac{s}{s} = 13$ TeV // JHEP 5: 14, 2022. DOI: 10.1007/JHEP05(2022)014. $\Pi PHJ = 6,379*30*0,007 = 1,34$

111. Tumasyan A. et al. (CMS Collaboration). Search for long-lived heavy neutral leptons with displaced vertices in proton-proton collisions at $\operatorname{S} = 13 \text{ TeV} // \text{ JHEP 7: 81, 2022. DOI: } 10.1007/\text{JHEP07}(2022)081. \Pi PH = 6,379*30*0,007 = 1,34$

112. Tumasyan A. et al. (CMS Collaboration). Measurement of the inclusive and differential $\operatorname{t}t}_{t}_{gamma}$ cross sections in the dilepton channel and effective

field theory interpretation in proton-proton collisions at s=13 TeV // JHEP 5: 91, 2022. DOI: 10.1007/JHEP05(2022)091. $\Pi PH \square = 6,379*30*0,007 = 1,34$

113. Tumasyan A. et al. (CMS Collaboration). Search for charged-lepton flavor violation in top quark production and decay in pp collisions at $\frac{13 \text{ TeV}}{14 \text{ Fe}} = 13 \text{ TeV} / \text{JHEP 6}$: 82, 2022. DOI: 10.1007/JHEP06(2022)082. $\Pi PHJ = 6,379*30*0,007 = 1,34$

114. Tumasyan A. et al. (CMS Collaboration). Precision measurement of the W boson decay branching fractions in proton-proton collisions at s= 13 TeV // Phys.Rev.D105: 7, 072008, 2022. DOI: 10.1103/PhysRevD.105.072008. $\Pi PH \mu = 5,407*30*0,007 = 1,14$

115. Tumasyan A. et al. (CMS Collaboration). Identification of hadronic tau lepton decays using a deep neural network // JINST 17: P07023, 2022. DOI: 10.1088/1748-0221/17/07/P07023. ПРНД = 1,121*30*0,007 = 0,24

116. Tumasyan A. et al. (CMS Collaboration). Search for resonances decaying to three W bosons in proton-proton collisions at s= 13 TeV // Phys.Rev.Lett. 129: 2, 021802, 2022. DOI: 10.1103/PhysRevLett.129.021802. ПРНД = 9,185*30*0,007 = 1,93

117. Tumasyan A. et al. (CMS Collaboration). Observation of B $0\$ and B $0\$ but the second state of the

118. Tumasyan A. et al. (CMS Collaboration). Search for invisible decays of the Higgs boson produced via vector boson fusion in proton-proton collisions at s=13 TeV // Phys.Rev.D105: 9, 092007, 2022. DOI: 10.1103/PhysRevD.105.092007. $\Pi PH \square = 5,407*30*0,007 = 1,14$

119. Tumasyan A. et al. (CMS Collaboration). Search for new physics in the lepton plus missing transverse momentum final state in proton-proton collisions at $\operatorname{s} = 13 \text{ TeV} //$ JHEP 7: 67, 2022. DOI: 10.1007/JHEP07(2022)067. IIPH \square = 6,379*30*0,007 = 1,34

120. Tumasyan A. et al. (CMS Collaboration). Measurement of the Higgs boson width and evidence of its off-shell contributions to ZZ production // Nature Phys. 18: 11, 1329-1334, 2022. DOI: 10.1038/s41567-022-01682-0. ПРНД = 19,684*30*0,007 = 4,13

121. Tumasyan A. et al. (CMS Collaboration). Inclusive nonresonant multilepton probes of new phenomena at s=13 TeV // Phys.Rev.D105: 11, 112007, 2022. DOI: 10.1103/PhysRevD.105.112007. $\Pi PH \square = 5,407*30*0,007 = 1,14$

122. Tumasyan A. et al. (CMS Collaboration). Search for Higgs Boson Pair Production in the Four b Quark Final State in Proton-Proton Collisions at s=13 TeV // Phys.Rev.Lett. 129: 8, 081802, 2022. DOI: 10.1103/PhysRevLett.129.081802. ПРНД = 9,185*30*0,007 = 1,93

123. Tumasyan A. et al. (CMS Collaboration). Nuclear modification of $\bigcup states$ in pPb collisions at $\bigcup s_{NN} = 5.02 \text{ TeV} // Phys.Lett.B835: 137397, 2022. DOI: 10.1016/j.physletb.2022.137397. <math>\Pi PH \mu = 4,950*30*0,007 = 1,04$

124. Tumasyan A. et al. (CMS Collaboration). Measurement of the Drell-Yan forwardbackward asymmetry at high dilepton masses in proton-proton collisions at s= 13 TeV // JHEP 8: 63, 2022. DOI: 10.1007/JHEP08(2022)063. ПРНД = 6,379*30*0,007 = 1,34

125. Tumasyan A. et al. (CMS Collaboration). Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state at $\sigma = 13 \text{ TeV} // \text{ JHEP 9}$: 88, 2022. DOI: 10.1007/JHEP09(2022)088. $\Pi PH \square = 6,379*30*0,007 = 1,34$

126. Tumasyan A. et al. (CMS Collaboration). Search for new particles in an extended Higgs sector with four b quarks in the final state at s=13TeV // Phys.Lett.B835: 137566, 2022. DOI: 10.1016/j.physletb.2022.137566. $\Pi PH \mu = 4,950*30*0,007 = 1,04$

127. CMS Collaboration. A portrait of the Higgs boson by the CMS experiment ten years after the discovery // Nature 607: 7917, 60-68, 2022. DOI: 10.1038/s41586-022-04892-x. $\Pi PH \mu = 69,504*30*0,007 = 14,60$

128. Grippo M. et al. (CMS Collaboration). Wafer-level testing of the readout chip of the CMS Inner Tracker for HL-LHC // Nucl.Instrum.Meth.A 1044: 167496, 2022. DOI: 10.1016/j.nima.2022.167496. ПРНД = 1,335*30*0,007 = 0,28

129. Isik C. et al. (CMS Collaboration). Phase 1 upgrade of the CMS Hadron Barrel Calorimeter // Nucl.Instrum.Meth.A 1042: 167389, 2022. DOI: 10.1016/j.nima.2022.167389. $\Pi PH \square = 1,335*30*0,007 = 0,28$

130. Wiehe M. et al. (CMS Collaboration). The CMS high granularity calorimeter for the High Luminosity LHC // Nucl.Instrum.Meth.A 1041: 167312, 2022. DOI: 10.1016/j.nima.2022.167312. $\Pi PH \square = 1,335*30*0,007 = 0,28$

131. Damanakis K. et al. (CMS Collaboration). Silicon sensors for the Phase-2 upgrade of the CMS Outer Tracker; status and early results from the production phase // Nucl.Instrum.Meth.A 1040: 167034, 2022. DOI: 10.1016/j.nima.2022.167034. ПРНД = 1,335*30*0,007 = 0,28

132. Auzinger G. et al. (CMS Collaboration). High-precision luminosity instrumentation for the CMS detector at the HL-LHC // Nucl.Instrum.Meth.A 1039: 167024, 2022. DOI: 10.1016/j.nima.2022.167024. ПРНД = 1,335*30*0,007 = 0,28

133. Zuolo D. et al. (CMS Collaboration). Characterization of planar and 3D silicon pixel sensors for the high luminosity phase of the CMS experiment at LHC // Nucl.Instrum.Meth.A 1039: 167029, 2022. DOI: 10.1016/j.nima.2022.167029. $\Pi PH \mu = 1,335*30*0,007 = 0,28$

134. Lanyov A. et al. (CMS Collaboration). Electroweak Measurements at CMS // Moscow Univ.Phys.Bull. 77: 2, 228-231, 2022. DOI: 10.3103/S0027134922020576. $\Pi PH \square = 0.536*60*0.007 = 0.23$

135. Kole G. et al. (CMS Collaboration). Search for Additional Higgs Boson with CMS Detector at LHC // Moscow Univ.Phys.Bull. 77: 2, 223-225, 2022. DOI: 10.3103/S0027134922020527. IIPH μ = 0.536*60*0.007 = 0.23

136. Kaur A. et al. (CMS Collaboration). Exotic Physics Signatures at CMS // Moscow Univ.Phys.Bull. 77: 2, 216-219, 2022. DOI: 10.3103/S0027134922020473. ПРНД = 0,536*60*0,007 = 0,23

137. Tulupov A. et al. (CMS Collaboration). B-Physics Results from CMS // Moscow Univ.Phys.Bull. 77: 2, 263-267, 2022. DOI: 10.3103/S0027134922021004. ПРНД = 0,536*60*0,007 = 0,23

138. Petrushanko S. et al. (CMS Collaboration). Heavy-Ion Physics at CMS // Moscow Univ.Phys.Bull. 77: 2, 247-249, 2022. DOI: 10.3103/S0027134922020801. ПРНД = 0,536*60*0,007 = 0,23

139. Mazza G. et al. (CMS Collaboration). CMS ECAL upgrade for precision timing and energy measurements at the High-Luminosity LHC // Nucl.Instrum.Meth.A 1038: 166949, 2022. DOI: 10.1016/j.nima.2022.166949. $\Pi PH \square = 1,335*30*0,007 = 0,28$

140. Cooke C. et al. (CMS Collaboration). Upgrade of the CMS Barrel Electromagnetic Calorimeter for the High Luminosity LHC // Instruments 6: 3, 29, 2022. DOI: 10.3390/instruments6030029. $\Pi PH \square = 8*0,007 = 0,06$

141. Ferrero M. et al. (CMS Collaboration). The CMS MTD Endcap Timing Layer: Precision timing with Low Gain Avalanche Diodes // Nucl.Instrum.Meth.A 1032: 166627, 2022. DOI: 10.1016/j.nima.2022.166627. ПРНД = 1,335*30*0,007 = 0,28

142. Sosnov D. et al. (CMS Collaboration). First Observation of Diffractive Processes in Proton-Lead Collisions at the LHC with the CMS Detector // Phys.Part.Nucl. 53: 2, 393-397, 2022. DOI: 10.1134/S1063779622020782. $\Pi PH \square = 0,786*60*0,007 = 0,33$

143. Das P. et al. (CMS Collaboration). An overview of the trigger system at the CMS experiment // Phys.Scripta 97: 5, 054008,, 2022. DOI: 10.1088/1402-4896/ac6302. $\Pi PH \square = 3,081*30*0,007 = 0,65$

144. Simone F.M. et al. (CMS Collaboration). Recent CMS heavy flavor physics results // Int.J.Mod.Phys.A37: 07, 2240003, 2022. DOI: 10.1142/S0217751X22400036. ПРНД = 1,475*30*0,007 = 0,31

145. Aruta C. et al. (CMS Collaboration). Overview and recent results of the CMS muon system upgrade // Int.J.Mod.Phys.A37: 07, 2240008, 2022. DOI: 10.1142/S0217751X22400085. $\Pi PH \square = 1,475*30*0,007 = 0,31$

Препринты:

1. Tumasyan A. et al. (CMS Collaboration). Measurement of the inclusive and differential $\operatorname{t} = 13 \text{ TeV} // \text{ arXiv:} 2107.01508 [hep-ex], 2021. \Pi PH = 3*0,007 = 0,02$

2. Tumasyan A. et al. (CMS Collaboration). Search for long-lived particles decaying in the CMS endcap muon detectors in proton-proton collisions at $\sigma = 13 \text{ TeV} // arXiv:2107.04838$ [hep-ex], 2021. $\Pi PH \square = 3*0,007 = 0,02$

3. Tumasyan A. et al. (CMS Collaboration). Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at s=13 TeV // arXiv:2108.10407 [hep-ex], 2021. ПРНД = 3*0,007 = 0,02

4. Tumasyan A. et al. (CMS Collaboration). Observation of triple J/ $\$ meson production in proton-proton collisions at s= 13 TeV // arXiv:2111.05370 [hep-ex], 2021. ПРНД = 3*0,007 = 0,02

Итого: ПРНД = 178,55

Документ создан автоматически. Версия скрипта 11.10