

1. Gninenko S.N., Krasnikov N.V., Matveev V.A. Search for dark sector physics with NA64 // Phys.Part.Nucl. 51: 5, 829-858, 2020. doi: 10.1134/S1063779620050044.
2. Krasnikov N.V. Implications of last NA64 results and the electron g_{e-2} anomaly for the X(16.7) boson survival // Mod.Phys.Lett.A 35: 15, 2050116, 2020. doi: 10.1142/S0217732320501163.
3. Krasnikov N.V. The Search for Light Dark Matter at NA64 Experiment // Phys.Part.Nucl. 51: 4, 697-702, 2020. doi: 10.1134/S1063779620040449.
4. Gninenko S.N., Kirpichnikov D.V., Kirsanov M.M., Krasnikov N.V. Combined search for light dark matter with electron and muon beams at NA64 // Phys.Lett.B796: 117-122, 2019. doi: 10.1016/j.physletb.2019.07.015.
5. Gninenko S.N., Kirpichnikov D.V., Krasnikov N.V. Probing millicharged particles with NA64 experiment at CERN // Phys.Rev.D100: 3, 035003, 2019. doi: 10.1103/PhysRevD.100.035003.
6. Bityukov S., Krasnikov N., Okunev N., Taperechkina V. On the notion “significance of the difference” // J.Phys.Conf.Ser. 1085: no.5, 052013, 2018.
7. Bityukov S., Krasnikov N., Smirnova V. On one method of comparison experimental and theoretical data // EPJ Web Conf. 191: 2017, 2018.
8. Gninenko S.N., Kirpichnikov D.V., Kirsanov M.M., Krasnikov N.V. The exact tree-level calculation of the dark photon production in high-energy electron scattering at the CERN SPS // Phys.Lett.B782: 406-411, 2018.
9. Gninenko S.N., Krasnikov N.V. Probing the muon $g_{\mu-2}$ anomaly, $L_{\mu} - L_{\tau}$ gauge boson and Dark Matter in dark photon experiments // Phys.Lett.B783: 24-28, 2018.
10. Banerjee D. et al. (NA64 Collaboration). Improved limits on a hypothetical X(16.7) boson and a dark photon decaying into e^+e^- pairs // Phys.Rev.D101: 7, 071101, 2020. doi: 10.1103/PhysRevD.101.071101.
11. Banerjee D. et al. (NA64 Collaboration). Search for Axionlike and Scalar Particles with the NA64 Experiment // Phys.Rev.Lett. 125: 8, 081801, 2020. doi: 10.1103/PhysRevLett.125.081801.
12. Depero E. et al. (NA64 Collaboration). Hunting down the X17 boson at the CERN SPS // Eur.Phys.J.C80: 1159, 2020. doi: 10.1140/epjc/s10052-020-08725-x.
13. Banerjee D. et al. (NA64 Collaboration). Dark matter search in missing energy events with NA64 // Phys.Rev.Lett. 123: 12, 121801, 2019. doi: 10.1103/PhysRevLett.123.121801.
14. Banerjee D. et al. (NA64 Collaboration). Search for vector mediator of Dark Matter

production in invisible decay mode // Phys.Rev.D97: no.7, 072002, 2018.

15. Banerjee D. et al. (NA64 Collaboration). Search for a Hypothetical 16.7 MeV Gauge Boson and Dark Photons in the NA64 Experiment at CERN // Phys.Rev.Lett. 120: no.23, 231802, 2018.
16. Banerjee D. et al. (NA64 Collaboration). Search for invisible decays of sub-GeV dark photons in missing-energy events at the CERN SPS // Phys.Rev.Lett. 118: 1, 011802, 2017.
17. Chatrchyan S. et al. (CMS Collaboration). Measurement of the mass difference between top quark and antiquark in pp collisions at $\sqrt{s} = 8$ TeV // Phys.Lett.B770: 50-71, 2017.
18. Chatrchyan S. et al. (CMS Collaboration). Radioactive source calibration test of the CMS Hadron Endcap Calorimeter test wedge with Phase I upgrade electronics // JINST 12: P12034, 2017.
19. Khachatryan V. et al. (CMS Collaboration). Measurement of the cross section for electroweak production of $Z\gamma$ in association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s} = 8$ TeV // Phys.Lett.B770: 380-402, 2017.
20. Khachatryan V. et al. (CMS Collaboration). Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections // Eur.Phys.J.C77: 15, 2017.
21. Khachatryan V. et al. (CMS Collaboration). Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Rev.C96: no.1, 014915, 2017.
22. Khachatryan V. et al. (CMS Collaboration). Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC // Phys.Lett.B768: 103-129, 2017.
23. Khachatryan V. et al. (CMS Collaboration). Coherent J/ψ photoproduction in ultra-peripheral PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the CMS experiment // Phys.Lett.B772: 489-511, 2017.
24. Khachatryan V. et al. (CMS Collaboration). Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s} = 8$ TeV using the α_T variable // Phys.Lett.B767: 403-430, 2017.
25. Khachatryan V. et al. (CMS Collaboration). Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV // Phys.Rev.Lett. 118: no.2, 021802, 2017.
26. Khachatryan V. et al. (CMS Collaboration). Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $\sqrt{s} = 8$ TeV using $H \rightarrow WW$ decays // JHEP 1703: 32, 2017.
27. Khachatryan V. et al. (CMS Collaboration). Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV // Phys.Rev.Lett. 118: no.2, 021802, 2017.

$\sqrt{s}=8$ TeV // JHEP 1702: 96, 2017.

28. Khachatryan V. et al. (CMS Collaboration). Evidence for collectivity in pp collisions at the LHC // Phys.Lett.B765: 193-220, 2017.
29. Khachatryan V. et al. (CMS Collaboration). Observation of the decay $B^+ \rightarrow \psi(2S) \phi(1020) K^+$ in pp collisions at $\sqrt{s} = 8$ TeV // Phys.Lett.B764: 66-86, 2017.
30. Khachatryan V. et al. (CMS Collaboration). Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV // JINST 12: P02014, 2017.
31. Khachatryan V. et al. (CMS Collaboration). Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B766: 268-290, 2017.
32. Khachatryan V. et al. (CMS Collaboration). Search for new phenomena in events with high jet multiplicity and low missing transverse momentum in proton-proton collisions at $\sqrt{s}=8$ TeV // Phys.Lett.B770: 257-267, 2017.
33. Khachatryan V. et al. (CMS Collaboration). Measurement of the production cross section of a W boson in association with two b jets in pp collisions at $\sqrt{s} = 8$ TeV // Eur.Phys.J.C77: no.2, 92, 2017.
34. Khachatryan V. et al. (CMS Collaboration). Measurement of the total and differential inclusive B^+ hadron cross sections in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B 771: 435-456, 2017.
35. Khachatryan V. et al. (CMS Collaboration). The CMS trigger system // JINST 12: no.01, P01020, 2017.
36. Khachatryan V. et al. (CMS Collaboration). Search for high-mass diphoton resonances in proton-proton collisions at 13 TeV and combination with 8 TeV search // Phys.Lett.B767: 147-170, 2017.
37. Khachatryan V. et al. (CMS Collaboration). Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s}=8$ TeV and cross section ratios to 2.76 and 7 TeV // JHEP 1703: 156, 2017.
38. Khachatryan V. et al. (CMS Collaboration). Measurement of inclusive jet cross sections in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV // Phys.Rev.C96: no.1, 015202, 2017.
39. Khachatryan V. et al. (CMS Collaboration). Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s} = 13$ TeV and combination with 8 TeV data // Phys.Lett.B768: 57-80, 2017.
40. Khachatryan V. et al. (CMS Collaboration). Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 7$ and 8 TeV and search for anomalous triple gauge couplings at $\sqrt{s} = 8$ TeV // Eur.Phys.J.C77: no.4, 236, 2017.
41. Khachatryan V. et al. (CMS Collaboration). Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D95: 12003,

2017.

42. Khachatryan V. et al. (CMS Collaboration). Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D95: no.1, 012011, 2017.
43. Khachatryan V. et al. (CMS Collaboration). Observation of charge-dependent azimuthal correlations in p -Pb collisions and its implication for the search for the chiral magnetic effect // Phys.Rev.Lett. 118: no.12, 122301, 2017.
44. Khachatryan V. et al. (CMS Collaboration). Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV // Eur.Phys.J.C 77: no.4, 252, 2017.
45. Sirunyan A.M. et al. (CMS Collaboration). Cross section measurement of t -channel single top quark production in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B772: 752-776, 2017.
46. Khachatryan V. et al. (CMS Collaboration). Search for high-mass $Z\gamma$ resonances in $e^+e^- \gamma$ and $\mu^+\mu^-\gamma$ final states in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV // JHEP 1701: 76, 2017.
47. Khachatryan V. et al. (CMS Collaboration). Search for anomalous Wtb couplings and flavour-changing neutral currents in t -channel single top quark production in pp collisions at $\sqrt{s} = 7$ and 8 TeV // JHEP 1702: 28, 2017.
48. Khachatryan V. et al. (CMS Collaboration). Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV // Phys.Rev.D95: no.9, 092001, 2017.
49. Khachatryan V. et al. (CMS Collaboration). Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $\sqrt{s} = 8$ TeV // Phys.Rev.D95: 52002, 2017.
50. Khachatryan V. et al. (CMS Collaboration). Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $\sqrt{s} = 8$ TeV // JHEP 1702: 79, 2017.
51. Khachatryan V. et al. (CMS Collaboration). Search for electroweak production of charginos in final states with two τ leptons in pp collisions at $\sqrt{s} = 8$ TeV // JHEP 1704: 18, 2017.
52. Khachatryan V. et al. (CMS Collaboration). Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $\sqrt{s} = 8$ TeV // Phys.Rev.D95: no.1, 012009, 2017.
53. Khachatryan V. et al. (CMS Collaboration). Observation of $\Upsilon(1S)$ pair production in proton-proton collisions at $\sqrt{s} = 8$ TeV // JHEP 1705: 13, 2017.
54. Khachatryan V. et al. (CMS Collaboration). Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons,

neutrinos, and b quarks // Phys.Lett.B768: 137-162, 2017.

55. Khachatryan V. et al. (CMS Collaboration). Searches for invisible decays of the Higgs boson in pp collisions at $\sqrt{s} = 7, 8, \text{ and } 13 \text{ TeV}$ // JHEP 1702: 135, 2017.
56. Khachatryan V. et al. (CMS Collaboration). A search for new phenomena in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with missing transverse momentum and at least one jet using the α_{T} variable // Eur.Phys.J.C77: no.5, 294, 2017.
57. Sirunyan A.M. et al. (CMS Collaboration). Relative Modification of Prompt $\gamma(2S)$ and J/ψ Yields from pp to PbPb Collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ // Phys.Rev.Lett. 118: no.16, 162301, 2017.
58. Khachatryan V. et al. (CMS Collaboration). Suppression of $\Upsilon(1S)$, $\Upsilon(2S)$ and $\Upsilon(3S)$ production in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ // Phys.Lett.B770: 357-379, 2017.
59. Khachatryan V. et al. (CMS Collaboration). Charged-particle nuclear modification factors in PbPb and pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ // JHEP 1704: 39, 2017.
60. Sirunyan A.M. et al. (CMS Collaboration). Search for dijet resonances in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ and constraints on dark matter and other models // Phys.Lett.B769: 520-542, 2017.
61. Khachatryan V. et al. (CMS Collaboration). Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ // JHEP 1704: 22, 2017.
62. Khachatryan V. et al. (CMS Collaboration). Measurement of the $t\bar{t}$ production cross section using events in the $e\mu$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ // Eur.Phys.J.C77: 172, 2017.
63. Khachatryan V. et al. (CMS Collaboration). Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ // Eur.Phys.J.C77: no.11, 751, 2017.
64. Khachatryan V. et al. (CMS Collaboration). Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ // JHEP 1702: 48, 2017.
65. Khachatryan V. et al. (CMS Collaboration). Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV // Phys.Lett.B769: 391-412, 2017.
66. Khachatryan V. et al. (CMS Collaboration). Search for CP violation in $\overline{t}t$ production and decay in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ // JHEP 1703: 101, 2017.
67. Khachatryan V. et al. (CMS Collaboration). Search for single production of a heavy vector-like T quark decaying to a Higgs boson and a top quark with a lepton and jets in the final state // Phys.Lett.B771: 80-105, 2017.
68. Khachatryan V. et al. (CMS Collaboration). Search for heavy neutrinos or third-

- generation leptoquarks in final states with two hadronically decaying τ leptons and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1703: 77, 2017.
69. Sirunyan A.M. et al. (CMS Collaboration). Searches for pair production of third-generation squarks in $\sqrt{s}=13$ TeV pp collisions // Eur.Phys.J.C77: no.5, 327, 2017.
 70. Sirunyan A.M. et al. (CMS Collaboration). Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states // JHEP 1704: 136, 2017.
 71. Sirunyan A.M. et al. (CMS Collaboration). Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV // Phys.Lett.B772: 306-329, 2017.
 72. Sirunyan A.M. et al. (CMS Collaboration). Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1703: 162, 2017.
 73. Khachatryan V. et al. (CMS Collaboration). Measurement of electroweak-induced production of $W\gamma$ with two jets in pp collisions at $\sqrt{s}=8$ TeV and constraints on anomalous quartic gauge couplings // JHEP 1706: 106, 2017.
 74. Khachatryan V. et al. (CMS Collaboration). Search for heavy gauge W' boson in events with an energetic lepton and large missing transverse momentum at $\sqrt{s}=13$ TeV // Phys.Lett.B770: 278-301, 2017.
 75. Sirunyan A.M. et al. (CMS Collaboration). Search for high-mass $Z\gamma$ resonances in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV using jet substructure techniques // Phys.Lett.B772: 363-387, 2017.
 76. Khachatryan V. et al. (CMS Collaboration). Search for leptophobic Z' bosons decaying into four-lepton final states in proton-proton collisions at $\sqrt{s}=8$ TeV // Phys.Lett.B773: 563-584, 2017.
 77. Khachatryan V. et al. (CMS Collaboration). Search for supersymmetry in the all-hadronic final state using top quark tagging in pp collisions at $\sqrt{s}=13$ TeV // Phys.Rev.D96: no.1, 012004, 2017.
 78. Sirunyan A.M. et al. (CMS Collaboration). Mechanical stability of the CMS strip tracker measured with a laser alignment system // JINST 12: no.04, P04023, 2017.
 79. Khachatryan V. et al. (CMS Collaboration). Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $\sqrt{s}=8$ TeV // JHEP 1710: 076, 2017.
 80. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1703: 061, 2017.
 81. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $\sqrt{s}=13$ TeV // JHEP 1709: 051, 2017.

82. Khachatryan V. et al. (CMS Collaboration). Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C77: no.9, 635, 2017.
83. Sirunyan A.M. et al. (CMS Collaboration). Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1705: 029, 2017.
84. Sirunyan A.M. et al. (CMS Collaboration). Search for single production of vector-like quarks decaying into a b quark and a W boson in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B772: 634-656, 2017.
85. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1708: 046, 2017.
86. Sirunyan A.M. et al. (CMS Collaboration). Azimuthal anisotropy of charged particles with transverse momentum up to 100 GeV/c in PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Lett.B776: 195-216, 2018.
87. Sirunyan A.M. et al. (CMS Collaboration). Study of Jet Quenching with $Z + \text{jet}$ Correlations in Pb-Pb and pp Collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Rev.Lett. 119: no.8, 082301, 2017.
88. Sirunyan A.M. et al. (CMS Collaboration). Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $\sqrt{s} = 8$ TeV // JHEP 1707: 003, 2017.
89. Sirunyan A.M. et al. (CMS Collaboration). Measurement of prompt and nonprompt J/ψ production in pp and pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Eur.Phys.J.C77: no.4, 269, 2017.
90. Sirunyan A.M. et al. (CMS Collaboration). Search for standard model production of four top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B772: 336-358, 2017.
91. Sirunyan A.M. et al. (CMS Collaboration). Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV and impact on parton distribution functions // Eur.Phys.J.C77: no.7, 459, 2017.
92. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $\sqrt{s} = 13$ TeV // JHEP 1707: 014, 2017.
93. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8$ TeV // Eur.Phys.J.C77: no.5, 354, 2017.
94. Sirunyan A.M. et al. (CMS Collaboration). Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1707: 121,

2017.

95. Sirunyan A.M. et al. (CMS Collaboration). Search for associated production of dark matter with a Higgs boson decaying to $\mathrm{b}\overline{\mathrm{b}}$ or $\gamma\gamma$ at $\sqrt{s}=13$ TeV // JHEP 1710: 180, 2017.
96. Sirunyan A.M. et al. (CMS Collaboration). Search for anomalous couplings in boosted WW/WZ to $\ell\nu\mathrm{q}\bar{\mathrm{q}}$ production in proton-proton collisions at $\sqrt{s}=8$ TeV // Phys.Lett.B772: 21-42, 2017.
97. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the jet mass in highly boosted $\mathrm{t}\overline{\mathrm{t}}$ events from pp collisions at $\sqrt{s}=8$ TeV // Eur.Phys.J.C77: no.7, 467, 2017.
98. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy resonance decaying to a top quark and a vector-like top quark at $\sqrt{s}=13$ TeV // JHEP 1709: 053, 2017.
99. Sirunyan A.M. et al. (CMS Collaboration). Search for new physics with dijet angular distributions in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1707: 013, 2017.
100. Sirunyan A.M. et al. (CMS Collaboration). Measurements of the pp $\mathrm{W}\gamma\gamma$ and pp $\mathrm{Z}\gamma\gamma$ cross sections and limits on anomalous quartic gauge couplings at $\sqrt{s}=8$ TeV // JHEP 1710: 072, 2017.
101. Sirunyan A.M. et al. (CMS Collaboration). Search for $\mathrm{t}\overline{\mathrm{t}}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1707: 001, 2017.
102. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the top quark mass in the dileptonic $\mathrm{t}\bar{\mathrm{t}}$ decay channel using the mass observables $M_{\mathrm{b}\ell}$, $M_{\mathrm{T}2}$, and $M_{\mathrm{b}\ell\nu}$ in pp collisions at $\sqrt{s}=8$ TeV // Phys.Rev.D96: no.3, 032002, 2017.
103. Sirunyan A.M. et al. (CMS Collaboration). Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s}=13$ TeV // Eur.Phys.J.C77: no.9, 578, 2017.
104. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV // Phys.Rev.D96: no.3, 032003, 2017.
105. Sirunyan A.M. et al. (CMS Collaboration). Search for black holes in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV // Phys.Lett.B774: 279-307, 2017.
106. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s}=8$ TeV and constraints on parton distribution functions // Eur.Phys.J.C77: no.11, 746, 2017.
107. Sirunyan A.M. et al. (CMS Collaboration). Search for Charged Higgs Bosons

Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s}=13\text{ TeV}$ // Phys.Rev.Lett. 119: no.14, 141802, 2017.

108. Sirunyan A.M. et al. (CMS Collaboration). Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ // Eur.Phys.J.C77: no.10, 710, 2017.
109. Sirunyan A.M. et al. (CMS Collaboration). Search for Supersymmetry in pp Collisions at $\sqrt{s}=13\text{ TeV}$ in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets // Phys.Rev.Lett. 119: no.15, 151802, 2017.
110. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the $B^{\pm}$ Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$ // Phys.Rev.Lett. 119: no.15, 152301, 2017.
111. Sirunyan A.M. et al. (CMS Collaboration). Combination of searches for heavy resonances decaying to WW , WZ , ZZ , WH , and ZH boson pairs in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV // Phys.Lett.B774: 533-558, 2017.
112. Sirunyan A.M. et al. (CMS Collaboration). Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ // Phys.Lett.B776: 355-378, 2018.
113. Sirunyan A.M. et al. (CMS Collaboration). Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=13\text{ TeV}$ // Phys.Rev.Lett. 119: no.11, 111802, 2017.
114. Sirunyan A.M. et al. (CMS Collaboration). Search for top quark partners with charge $5/3$ in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ // JHEP 1708: 073, 2017.
115. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ // Eur.Phys.J.C77: no.12, 845, 2017.
116. Sirunyan A.M. et al. (CMS Collaboration). Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ // JHEP 1711: 085, 2017.
117. Sirunyan A.M. et al. (CMS Collaboration). Search for new physics in the monophoton final state in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ // JHEP 1710: 073, 2017.
118. Sirunyan A.M. et al. (CMS Collaboration). Searches for W bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV // JHEP 1708: 029, 2017.
119. Sirunyan A.M. et al. (CMS Collaboration). Search for top squark pair production in

- pp collisions at $\sqrt{s}=13$ TeV using single lepton events // JHEP 1710: 019, 2017.
120. Sirunyan A.M. et al. (CMS Collaboration). Particle-flow reconstruction and global event description with the CMS detector // JINST 12: no.10, P10003, 2017.
 121. Sirunyan A.M. et al. (CMS Collaboration). Measurements of jet charge with dijet events in pp collisions at $\sqrt{s}=8$ TeV // JHEP 1710: 131, 2017.
 122. Sirunyan A.M. et al. (CMS Collaboration). Suppression of excited Upsilon states relative to the ground state in PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Rev.Lett. 120: 142301, 2018.
 123. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the semileptonic $\overline{t}t$ + ? production cross section in pp collisions at $\sqrt{s}=8$ TeV // JHEP 1710: 006, 2017.
 124. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at $\sqrt{s}=13$ TeV // Phys.Lett.B775: 315-337, 2017.
 125. Sirunyan A.M. et al. (CMS Collaboration). Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1711: 29, 2017.
 126. Sirunyan A.M. et al. (CMS Collaboration). Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s}=13$ TeV // JHEP 1711: 47, 2017.
 127. Sirunyan A.M. et al. (CMS Collaboration). Measurement of charged pion, kaon, and proton production in proton-proton collisions at $\sqrt{s}=13$ TeV // Phys.Rev.D96: no.11, 112003, 2017.
 128. Sirunyan A.M. et al. (CMS Collaboration). Search for Higgs boson pair production in the $\tau\tau$ final state in proton-proton collisions at $\sqrt{s}=8$ TeV // Phys.Rev.D96: no.7, 072004, 2017.
 129. Sirunyan A.M. et al. (CMS Collaboration). Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state // Phys.Lett.B775: 1-24, 2017.
 130. Sirunyan A.M. et al. (CMS Collaboration). Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C77: no.9, 636, 2017.
 131. Sirunyan A.M. et al. (CMS Collaboration). Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B778: 101-127, 2018.
 132. Sirunyan A.M. et al. (CMS Collaboration). Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1710: 5, 2017.
 133. Sirunyan A.M. et al. (CMS Collaboration). Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s} = 8$ TeV // JHEP

1803: 167, 2018.

134. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=13$ TeV // Phys.Rev.D96: no.7, 072005, 2017.
135. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1712: 142, 2017.
136. Sirunyan A.M. et al. (CMS Collaboration). Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B778: 263-291, 2018.
137. Sirunyan A.M. et al. (CMS Collaboration). Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s}=8$ TeV // JHEP 1711: 10, 2017.
138. Sirunyan A.M. et al. (CMS Collaboration). Suppression of excited Upsilon states relative to the ground state in PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Rev.Lett. 120: 142301, 2018.
139. Sirunyan A.M. et al. (CMS Collaboration). Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B778: 263-291, 2018.
140. Sirunyan A.M. et al. (CMS Collaboration). Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s} = 8$ TeV // JHEP 1803: 167, 2018.
141. Sirunyan A.M. et al. (CMS Collaboration). Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B778: 101-127, 2018.
142. Sirunyan A.M. et al. (CMS Collaboration). Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s}=13$ TeV // JHEP 11: 172, 2018.
143. Sirunyan A.M. et al. (CMS Collaboration). Measurements of $t\bar{t}$ cross sections in association with $b\bar{b}$ jets and inclusive jets and their ratio using dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B776: 355-378, 2018.
144. Sirunyan A.M. et al. (CMS Collaboration). Azimuthal anisotropy of charged particles with transverse momentum up to 100 GeV/c in PbPb collisions at $\sqrt{s}_{NN}=5.02$ TeV // Phys.Lett.B776: 195--216, 2018.
145. Sirunyan A.M. et al. (CMS Collaboration). Observation of the Higgs boson decay to a pair of tau leptons // Phys.Lett.B779: 283-316, 2018.
146. Sirunyan A.M. et al. (CMS Collaboration). Search for single production of a vector-like T quark decaying to a Z boson and a top quark in proton-proton collisions at

$\sqrt{s} = 13 \text{ TeV}$ // Phys.Lett.B781: 574-600, 2018.

147. Sirunyan A.M. et al. (CMS Collaboration). Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in pPb and PbPb collisions at the LHC // Phys.Rev.C97: 044912, 2018.
148. Sirunyan A.M. et al. (CMS Collaboration). Search for vector-like light-flavor quark partners in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ // Phys.Rev.D97: 072008, 2018.
149. Sirunyan A.M. et al. (CMS Collaboration). Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ // Phys.Lett.B774: 682-705, 2017.
150. Sirunyan A.M. et al. (CMS Collaboration). Measurement of prompt D^0 meson azimuthal anisotropy in PbPb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ // Phys.Rev.Lett. 120: 202301, 2018.
151. Sirunyan A.M. et al. (CMS Collaboration). Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\nu\bar{\nu}$ final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ // JHEP 1801: 054, 2018.
152. Sirunyan A.M. et al. (CMS Collaboration). Nuclear modification factor of D^0 mesons in PbPb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ // Phys.Lett.B782: 474-496, 2018.
153. Sirunyan A.M. et al. (CMS Collaboration). Search for massive resonances decaying into WW , WZ , ZZ , qW , and qZ with dijet final states at $\sqrt{s} = 13 \text{ TeV}$ // Phys.Rev.D97: 072006, 2018.
154. Sirunyan A.M. et al. (CMS Collaboration). Principal-component analysis of two-particle azimuthal correlations in PbPb and $p\text{-Pb}$ collisions at CMS // Phys.Rev.C96: no.6, 064902, 2017.
155. Sirunyan A.M. et al. (CMS Collaboration). Measurement of normalized differential $t\text{-}\bar{t}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s} = 13 \text{ TeV}$ // JHEP 1804: 060, 2018.
156. Sirunyan A.M. et al. (CMS Collaboration). Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s}=13 \text{ TeV}$ // Phys.Rev.Lett. 119: no.22, 221802, 2017.
157. Sirunyan A.M. et al. (CMS Collaboration). Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ // Phys.Lett.B777: 39-63, 2018.
158. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the splitting function in pp and PbPb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ // Phys.Rev.Lett. 120: 142302, 2018.
159. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $\sqrt{s}=13 \text{ TeV}$ //

Phys.Lett.B779: 166-190, 2018.

160. Sirunyan A.M. et al. (CMS Collaboration). Search for higgsino pair production in pp collisions at $\sqrt{s} = 13$ TeV in final states with large missing transverse momentum and two Higgs bosons decaying via $\mathrm{H} \rightarrow \mathrm{b} \overline{\mathrm{b}}$ // Phys.Rev.D97: 032007, 2018.
161. Morad Aaboud et al. (ATLAS and CMS Collaborations). Combination of inclusive and differential $\mathrm{t} \overline{\mathrm{t}}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV // JHEP 1804: 033, 2018.
162. Sirunyan A.M. et al. (CMS Collaboration). Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1803: 166, 2018.
163. Sirunyan A.M. et al. (CMS Collaboration). Inclusive search for a highly boosted Higgs boson decaying to a bottom quark-antiquark pair // Phys.Rev.Lett. 120: 071802, 2018.
164. Sirunyan A.M. et al. (CMS Collaboration). Observation of electroweak production of same-sign W boson pairs in the two jet and two same-sign lepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 120: 081801, 2018.
165. Sirunyan A.M. et al. (CMS Collaboration). Observation of top quark production in proton-nucleus collisions // Phys.Rev.Lett. 119: 242001, 2017.
166. Sirunyan A.M. et al. (CMS Collaboration). Evidence for the Higgs boson decay to a bottom quark-antiquark pair // Phys.Lett.B780: 501-532, 2018.
167. Sirunyan A.M. et al. (CMS Collaboration). Measurements of the pp $\rightarrow ZZ$ production cross section and the $Z \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C78: 165, 2018.
168. Sirunyan A.M. et al. (CMS Collaboration). Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV // JHEP 1803: 076, 2018.
169. Sirunyan A.M. et al. (CMS Collaboration). Observation of correlated azimuthal anisotropy Fourier harmonics in pp and pPb collisions at the LHC // Phys.Rev.Lett. 120: 092301, 2018.
170. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B780: 384-409, 2018.
171. Sirunyan A.M. et al. (CMS Collaboration). Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1801: 097, 2018.
172. Sirunyan A.M. et al. (CMS Collaboration). Search for pair production of vector-like

- quarks in the $b\overline{b}$ channel from proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B779: 82-106, 2018.
173. Sirunyan A.M. et al. (CMS Collaboration). Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s} = 7$ TeV // Eur.Phys.J.C78: no.3,242, 2018.
 174. Sirunyan A.M. et al. (CMS Collaboration). Measurement of angular parameters from the decay $B^0 \rightarrow K^{*0} \mu^+ \mu^-$ in proton-proton collisions at $\sqrt{s} = 8$ TeV // Phys.Lett.B781: 517-541, 2018.
 175. Sirunyan A.M. et al. (CMS Collaboration). Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B781: 244-269, 2018.
 176. Sirunyan A.M. et al. (CMS Collaboration). Pseudorapidity and transverse momentum dependence of flow harmonics in pPb and PbPb collisions // Phys.Rev.C98: 044902, 2018.
 177. Sirunyan A.M. et al. (CMS Collaboration). Measurement of differential cross sections in the ϕ^* variable for inclusive Z boson production in pp collisions at $\sqrt{s} = 8$ TeV // JHEP 1803: 172, 2018.
 178. Sirunyan A.M. et al. (CMS Collaboration). Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8$ TeV // Eur.Phys.J.C78: no.6, 457, 2018.
 179. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1802: 067, 2018.
 180. Sirunyan A.M. et al. (CMS Collaboration). Pseudorapidity distributions of charged hadrons in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ and 8.16 TeV // JHEP 1801: 045, 2018.
 181. Sirunyan A.M. et al. (CMS Collaboration). Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C78: no.2, 140, 2018.
 182. Sirunyan A.M. et al. (CMS Collaboration). Measurement of quarkonium production cross sections in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B780: 251-272, 2018.
 183. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks // Phys.Rev.D97: 012007, 2018.
 184. Sirunyan A.M. et al. (CMS Collaboration). Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C78: no.4, 291, 2018.
 185. Sirunyan A.M. et al. (CMS Collaboration). Search for top squarks and dark matter particles in opposite-charge dilepton final states at $\sqrt{s} = 13$ TeV // Phys.Rev.D97: 032009, 2018.
 186. Sirunyan A.M. et al. (CMS Collaboration). Measurement of associated Z + charm

production in proton-proton collisions at $\sqrt{s} = 8$ TeV // Eur.Phys.J.C78: no.4, 287, 2018.

187. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1808: 011, 2018.
188. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the inclusive $\overline{t}t$ cross section in pp collisions at $\sqrt{s} = 5.02$ TeV using final states with at least one charged lepton // JHEP 1803: 115, 2018.
189. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1807: 032, 2018.
190. Sirunyan A.M. et al. (CMS Collaboration). Search for diboson resonances in the $2\ell 2\nu$ final state // JHEP 1803: 003, 2018.
191. Sirunyan A.M. et al. (CMS Collaboration). Search for excited states of light and heavy flavor quarks in the γ +jet final state in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B781: 390-411, 2018.
192. Sirunyan A.M. et al. (CMS Collaboration). Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B780: 118-143, 2018.
193. Sirunyan A.M. et al. (CMS Collaboration). Search for new long-lived particles at $\sqrt{s} = 13$ TeV // Phys.Lett.B780: 432-454, 2018.
194. Sirunyan A.M. et al. (CMS Collaboration). Study of jet quenching with isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Lett.B785: 14-39, 2018.
195. Sirunyan A.M. et al. (CMS Collaboration). Search for pair production of excited top quarks in the lepton+jets final state // Phys.Lett.B778: 349-370, 2018.
196. Sirunyan A.M. et al. (CMS Collaboration). Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $\sqrt{s} = 8$ TeV // JHEP 1802: 032, 2018.
197. Sirunyan A.M. et al. (CMS Collaboration). Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at $\sqrt{s} = 13$ TeV // Phys.Rev.D97: 092005, 2018.
198. Sirunyan A.M. et al. (CMS Collaboration). Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s} = 13$ TeV // JHEP 1806: 102, 2018.
199. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the associated production of a single top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B779: 358-384, 2018.
200. Sirunyan A.M. et al. (CMS Collaboration). Search for Z γ resonances using

- leptonic and hadronic final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1809: 148, 2018.
201. Sirunyan A.M. et al. (CMS Collaboration). Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C78: no.7, 566, 2018.
 202. Sirunyan A.M. et al. (CMS Collaboration). Search for the X(5568) state decaying into $\mathrm{B}^0_{\mathrm{s}} \pi^{\pm}$ in proton-proton collisions at $\sqrt{s} = 8$ TeV // Phys.Rev.Lett. 120: 202005, 2018.
 203. Sirunyan A.M. et al. (CMS Collaboration). Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV // JINST 13: P05011, 2018.
 204. Sirunyan A.M. et al. (CMS Collaboration). Search for lepton flavour violating decays of the Higgs boson to $\mu\tau$ and $e\tau$ in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1806: 001, 2018.
 205. Sirunyan A.M. et al. (CMS Collaboration). Study of Bose-Einstein correlations in pp, pPb, and PbPb collisions at the LHC // Phys.Rev.C97: no.6,064912, 2018.
 206. Sirunyan A.M. et al. (CMS Collaboration). Search for physics beyond the standard model in events with high-momentum Higgs bosons and missing transverse momentum in proton-proton collisions at 13 TeV // Phys.Rev.Lett. 120: no.24,241801, 2018.
 207. Sirunyan A.M. et al. (CMS Collaboration). Search for R-parity violating supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV using b jets in a final state with a single lepton, many jets, and high sum of large-radius jet masses // Phys.Lett.B783: 114-139, 2018.
 208. Sirunyan A.M. et al. (CMS Collaboration). Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at 5.02 TeV // Eur.Phys.J.C78: no.6, 509, 2018.
 209. Sirunyan A.M. et al. (CMS Collaboration). Electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C78: no.7, 589, 2018.
 210. Sirunyan A.M. et al. (CMS Collaboration). Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1805: 127, 2018.
 211. Sirunyan A.M. et al. (CMS Collaboration). Search for new physics in events with two soft oppositely charged leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B782: 440-467, 2018.
 212. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the $\mathrm{Z} \gamma^* \rightarrow \tau\tau$ cross section in pp collisions at $\sqrt{s} = 13$ TeV and validation of τ lepton analysis techniques // Eur.Phys.J.C78: no.9, 708, 2018.
 213. Sirunyan A.M. et al. (CMS Collaboration). Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} =$

13 TeV // JHEP 1803: 160, 2018.

214. Sirunyan A.M. et al. (CMS Collaboration). Observation of medium induced modifications of jet fragmentation in PbPb collisions using isolated-photon-tagged jets // Phys.Rev.Lett. 121: no.24, 242301, 2018.
215. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV // JHEP 1806: 27, 2018.
216. Sirunyan A.M. et al. (CMS Collaboration). Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV // JHEP 1803: 181, 2018.
217. Sirunyan A.M. et al. (CMS Collaboration). Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\mu$ final states in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1804: 73, 2018.
218. Sirunyan A.M. et al. (CMS Collaboration). Search for single production of vector-like quarks decaying to a b quark and a Higgs boson // JHEP 1806: 31, 2018.
219. Sirunyan A.M. et al. (CMS Collaboration). Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s}=13$ TeV in final states with jets and missing transverse momentum // JHEP 1805: 25, 2018.
220. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the inelastic proton-proton cross section at $\sqrt{s}=13$ TeV // JHEP 1807: 161, 2018.
221. Sirunyan A.M. et al. (CMS Collaboration). Search for heavy neutral leptons in events with three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV // Phys.Rev.Lett. 120: no.22, 221801, 2018.
222. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the Λ_b polarization and angular parameters in $\Lambda_b \rightarrow J/\psi \Lambda$ decays from pp collisions at $\sqrt{s}=7$ and 8 TeV // Phys.Rev.D97: no.7, 072010, 2018.
223. Sirunyan A.M. et al. (CMS Collaboration). Search for narrow resonances in the b-tagged dijet mass spectrum in proton-proton collisions at $\sqrt{s}=8$ TeV // Phys.Rev.Lett. 120: no.20, 201801, 2018.
224. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s}=13$ TeV // JHEP 1805: 88, 2018.
225. Sirunyan A.M. et al. (CMS Collaboration). Jet properties in PbPb and pp collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV // JHEP 1805: 6, 2018.
226. Sirunyan A.M. et al. (CMS Collaboration). Search for third-generation scalar leptoquarks decaying to a top quark and a τ lepton at $\sqrt{s}=13$ TeV // Eur.Phys.J.C78: 707, 2018.
227. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy resonance decaying into a Z boson and a vector boson in the $\overline{\nu} q \overline{\nu}$ final state // JHEP 1807: 75,

2018.

228. Sirunyan A.M. et al. (CMS Collaboration). Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1806: 2, 2018.
229. Sirunyan A.M. et al. (CMS and TOTEM Collaborations). Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer // JHEP 1807: 153, 2018.
230. Sirunyan A.M. et al. (CMS Collaboration). Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at $\sqrt{s} = 13$ TeV // JHEP 1808: 66, 2018.
231. Sirunyan A.M. et al. (CMS Collaboration). Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1806: 120, 2018.
232. Sirunyan A.M. et al. (CMS Collaboration). Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1809: 7, 2018.
233. Sirunyan A.M. et al. (CMS Collaboration). Search for $\overline{t}tH$ production in the all-jet final state in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1806: 101, 2018.
234. Sirunyan A.M. et al. (CMS Collaboration). Search for new physics in dijet angular distributions using proton–proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter and other models // Eur.Phys.J.C78: no.9, 789, 2018.
235. Sirunyan A.M. et al. (CMS Collaboration). Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D97: no.11, 112003, 2018.
236. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell 2q$ final states at $\sqrt{s}=13$ TeV // JHEP 1809: 101, 2018.
237. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s}=13$ TeV // JHEP 1805: no.05, 148, 2018.
238. Sirunyan A.M. et al. (CMS Collaboration). Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13$ TeV // JHEP 1806: 128, 2018.
239. Sirunyan A.M. et al. (CMS Collaboration). Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1806: 127, 2018.
240. Sirunyan A.M. et al. (CMS Collaboration). Observation of

- $\overline{t}t$ production // Phys.Rev.Lett. 120: no.23, 231801, 2018.
241. Sirunyan A.M. et al. (CMS Collaboration). Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1811: 185, 2018.
 242. Sirunyan A.M. et al. (CMS Collaboration). Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13$ TeV // JINST 13: no.06, P06015, 2018.
 243. Sirunyan A.M. et al. (CMS Collaboration). Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C78: no.11, 965, 2018.
 244. Sirunyan A.M. et al. (CMS Collaboration). Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1808: 16, 2018.
 245. Sirunyan A.M. et al. (CMS Collaboration). Elliptic flow of charm and strange hadrons in high-multiplicity pPb collisions at $\sqrt{s_{NN}} = 8.16$ TeV // Phys.Rev.Lett. 121: no.8, 082301, 2018.
 246. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the top quark mass with lepton+jets final states using pp collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C78: no.11, 891, 2018.
 247. Sirunyan A.M. et al. (CMS Collaboration). Constraining gluon distributions in nuclei using dijets in proton-proton and proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Rev.Lett. 121: no.6, 062002, 2018.
 248. Sirunyan A.M. et al. (CMS Collaboration). Search for vector-like T and B quark pairs in final states with leptons at $\sqrt{s} = 13$ TeV // JHEP 1808: 177, 2018.
 249. Sirunyan A.M. et al. (CMS Collaboration). Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two τ leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1811: 18, 2018.
 250. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the groomed jet mass in PbPb and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV // JHEP 1810: 161, 2018.
 251. Sirunyan A.M. et al. (CMS Collaboration). Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1809: 65, 2018.
 252. Sirunyan A.M. et al. (CMS Collaboration). Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1811: 42, 2018.
 253. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1810: 117, 2018.
 254. Sirunyan A.M. et al. (CMS Collaboration). Search for an exotic decay of the Higgs

- boson to a pair of light pseudoscalars in the final state with two b quarks and two τ leptons in proton-proton collisions at $\sqrt{s}=13$ TeV // Phys.Lett.B785: 462, 2018.
255. Sirunyan A.M. et al. (CMS Collaboration). Constraints on models of scalar and vector leptoquarks decaying to a quark and a neutrino at $\sqrt{s}=13$ TeV // Phys.Rev.D98: no.3, 032005, 2018.
 256. Sirunyan A.M. et al. (CMS Collaboration). Observation of the $\chi_{\mathrm{b}1}(3P)$ and $\chi_{\mathrm{b}2}(3P)$ and measurement of their masses // Phys.Rev.Lett. 121: 92002, 2018.
 257. Sirunyan A.M. et al. (CMS Collaboration). Search for beyond the standard model Higgs bosons decaying into a $\mathrm{b}\overline{\mathrm{b}}$ pair in pp collisions at $\sqrt{s}=13$ TeV // JHEP 1808: 113, 2018.
 258. Sirunyan A.M. et al. (CMS Collaboration). Angular analysis of the decay $B^+ \rightarrow K^+ \mu^+ \mu^-$ in proton-proton collisions at $\sqrt{s}=8$ TeV // Phys.Rev.D98: no.11, 112011, 2018.
 259. Sirunyan A.M. et al. (CMS Collaboration). Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter mediators and other new particles // JHEP 1808: 130, 2018.
 260. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in pp collisions at 8 TeV // Eur.Phys.J.C78: no.9, 701, 2018.
 261. Sirunyan A.M. et al. (CMS Collaboration). Search for pair-produced resonances each decaying into at least four quarks in proton-proton collisions at $\sqrt{s}=13$ TeV // Phys.Rev.Lett. 121: no.14, 141802, 2018.
 262. Sirunyan A.M. et al. (CMS Collaboration). Search for a singly produced third-generation scalar leptoquark decaying to a τ lepton and a bottom quark in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1807: 115, 2018.
 263. Sirunyan A.M. et al. (CMS Collaboration). Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV // JHEP 1808: 152, 2018.
 264. Sirunyan A.M. et al. (CMS Collaboration). Observation of the $Z \rightarrow \psi \ell^+ \ell^-$ decay in pp collisions at $\sqrt{s}=13$ TeV // Phys.Rev.Lett. 121: no.14, 141801, 2018.
 265. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter produced in association with a Higgs boson decaying to $\gamma\gamma$ or $\tau^+ \tau^-$ at $\sqrt{s}=13$ TeV // JHEP 1809: 46, 2018.
 266. Sirunyan A.M. et al. (CMS Collaboration). Search for the decay of a Higgs boson in the $\ell\ell\gamma$ channel in proton-proton collisions at $\sqrt{s}=13$ TeV // JHEP 1811: 152, 2018.
 267. Sirunyan A.M. et al. (CMS Collaboration). Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at $\sqrt{s}=13$ TeV

\$ // Eur.Phys.J.C78: no.9, 697, 2018.

268. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in events with a τ lepton pair and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1811: 151, 2018.
269. Sirunyan A.M. et al. (CMS Collaboration). Precision measurement of the structure of the CMS inner tracking system using nuclear interactions // JINST 13: no.10, P10034, 2018.
270. Sirunyan A.M. et al. (CMS Collaboration). Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1811: 113, 2018.
271. Sirunyan A.M. et al. (CMS Collaboration). Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1811: 79, 2018.
272. Sirunyan A.M. et al. (CMS Collaboration). Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV // JHEP 1811: 161, 2018.
273. Sirunyan A.M. et al. (CMS Collaboration). Evidence for the associated production of a single top quark and a photon in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 121: no.22, 221802, 2018.
274. Sirunyan A.M. et al. (CMS Collaboration). Search for long-lived particles with displaced vertices in multijet events in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D98: no.9, 092011, 2018.
275. Sirunyan A.M. et al. (CMS Collaboration). Search for pair-produced resonances decaying to quark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D98: 112014, 2018.
276. Sirunyan A.M. et al. (CMS Collaboration). Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV // JHEP 1811: 115, 2018.
277. Sirunyan A.M. et al. (CMS Collaboration). Measurement of jet substructure observables in $\overline{t}t$ events from proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D98: no.9, 092014, 2018.
278. Sirunyan A.M. et al. (CMS Collaboration). Observation of Higgs boson decay to bottom quarks // Phys.Rev.Lett. 121: no.12, 121801, 2018.
279. Sirunyan A.M. et al. (CMS Collaboration). Charged-particle nuclear modification factors in XeXe collisions at $\sqrt{s_{\mathrm{NN}}} = 5.44$ TeV // JHEP 1810: 138, 2018.
280. Sirunyan A.M. et al. (CMS Collaboration). Search for physics beyond the standard model in high-mass diphoton events from proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D98: no.9, 092001, 2018.
281. Sirunyan A.M. et al. (CMS Collaboration). Performance of reconstruction and identification of τ leptons decaying to hadrons and ν_τ in pp collisions

at $\sqrt{s} = 13$ TeV // JINST 13: no.10, P10005, 2018.

282. Sirunyan A.M. et al. (CMS Collaboration). Studies of $\mathrm{B}^0 \rightarrow \mathrm{B}^+ \mathrm{B}^-$ (5840) and $\mathrm{B}^0 \rightarrow \mathrm{B}^+ \mathrm{B}^-$ (5830) mesons including the observation of the $\mathrm{B}^0 \rightarrow \mathrm{B}^+ \mathrm{K}^- \mathrm{S}^0$ decay in proton-proton collisions at $\sqrt{s} = 8$ TeV // Eur.Phys.J.C78: no.11, 939, 2018.
283. Sirunyan A.M. et al. (CMS Collaboration). Search for leptoquarks coupled to third-generation quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 121: no.24, 241802, 2018.
284. Sirunyan A.M. et al. (CMS Collaboration). Event shape variables measured using multijet final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1812: 117, 2018.
285. Chatrchyan S. et al. (CMS HCAL Collaboration). Brightness and uniformity measurements of plastic scintillator tiles at the CERN H2 test beam // JINST 13: P01002, 2018.
286. Sirunyan A.M. et al. (CMS Collaboration). Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two τ leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 170, 2019.
287. Sirunyan A.M. et al. (CMS Collaboration). Search for pair production of first-generation scalar leptoquarks at $\sqrt{s} = 13$ TeV // Phys.Rev.D99: no.5, 52002, 2019.
288. Sirunyan A.M. et al. (CMS Collaboration). Search for excited leptons in $\ell\ell\gamma$ final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 4: 15, 2019.
289. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.3, 280, 2019.
290. Sirunyan A.M. et al. (CMS Collaboration). Measurements of $\mathrm{t}\bar{\mathrm{t}}$ differential cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV using events containing two leptons // JHEP 2: 149, 2019.
291. Sirunyan A.M. et al. (CMS Collaboration). Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state // JHEP 3: 127, 2019.
292. Sirunyan A.M. et al. (CMS Collaboration). Search for long-lived particles decaying into displaced jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D99: no.3, 32011, 2019.
293. Sirunyan A.M. et al. (CMS Collaboration). Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV // Phys.Lett.B793: 320--347, 2019.

294. Sirunyan A.M. et al. (CMS Collaboration). Combination of searches for Higgs boson pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 122: no.12, 121803, 2019.
295. Sirunyan A.M. et al. (CMS Collaboration). Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D99: no.9, 92005, 2019.
296. Sirunyan A.M. et al. (CMS Collaboration). Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.4, 305, 2019.
297. Sirunyan A.M. et al. (CMS Collaboration). Measurement of associated production of a W boson and a charm quark in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.3, 269, 2019.
298. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV // Phys.Lett.B795: 76--99, 2019.
299. Sirunyan A.M. et al. (CMS Collaboration). A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV // Phys.Lett.B796: 131--154, 2019.
300. Sirunyan A.M. et al. (CMS Collaboration). Measurement of inclusive very forward jet cross sections in proton-lead collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV // JHEP 5: 43, 2019.
301. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1: 154, 2019.
302. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.5, 391, 2019.
303. Sirunyan A.M. et al. (CMS Collaboration). Observation of Single Top Quark Production in Association with a Z Boson in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 122: no.13, 132003, 2019.
304. Sirunyan A.M. et al. (CMS Collaboration). Inclusive search for supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV using razor variables and boosted object identification in zero and one lepton final states // JHEP 3: 31, 2019.
305. Sirunyan A.M. et al. (CMS Collaboration). Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two muons and two b quarks in pp collisions at 13 TeV // Phys.Lett.B795: 398--423, 2019.
306. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton+jets final state in pp collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.3, 208, 2019.
307. Sirunyan A.M. et al. (CMS Collaboration). Measurement and interpretation of differential cross sections for Higgs boson production at $\sqrt{s} = 13$ TeV //

Phys.Lett.B792: 369--396, 2019.

308. Sirunyan A.M. et al. (CMS Collaboration). Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.4, 364, 2019.
309. Sirunyan A.M. et al. (CMS Collaboration). Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 4: 114, 2019.
310. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the $\overline{\mathrm{t}}\mathrm{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.5, 368, 2019.
311. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 12: 59, 2019.
312. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13$ TeV and combination with the lepton+jets channel // Eur.Phys.J.C79: no.4, 313, 2019.
313. Sirunyan A.M. et al. (CMS Collaboration). Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state // Phys.Rev.D99: no.11, 112003, 2019.
314. Sirunyan A.M. et al. (CMS Collaboration). Search for the pair production of light top squarks in the $e^{\pm}\mu^{\mp}$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 101, 2019.
315. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 141, 2019.
316. Sirunyan A.M. et al. (CMS Collaboration). Measurements of the pp $\rightarrow$ WZ inclusive and differential production cross section and constraints on charged anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV // JHEP 4: 122, 2019.
317. Sirunyan A.M. et al. (CMS Collaboration). Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B795: 281--307, 2019.
318. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in events with a photon, jets, b -jets, and missing transverse momentum in proton-proton collisions at 13 TeV // Eur.Phys.J.C79: no.5, 444, 2019.
319. Sirunyan A.M. et al. (CMS Collaboration). Charged-particle angular correlations in XeXe collisions at $\sqrt{s_{\mathrm{NN}}} = 5.44$ TeV // Phys.Rev.C100: no.4, 44902, 2019.
320. Sirunyan A.M. et al. (CMS Collaboration). Search for W boson decays to three charged pions // Phys.Rev.Lett. 122: no.15, 151802, 2019.
321. Sirunyan A.M. et al. (CMS Collaboration). Observation of Two Excited

- $B^+\mathrm{c}$ States and Measurement of the $B^+\mathrm{c}(2S)$ Mass in pp Collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 122: no.13, 132001, 2019.
322. Sirunyan A.M. et al. (CMS Collaboration). Measurement of exclusive $\rho(770)^0$ photoproduction in ultraperipheral pPb collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV // Eur.Phys.J.C79: no.8, 702, 2019.
 323. Sirunyan A.M. et al. (CMS Collaboration). Pseudorapidity distributions of charged hadrons in xenon-xenon collisions at $\sqrt{s_{\mathrm{NN}}} = 5.44$ TeV // Phys.Lett.B799: 135049, 2019.
 324. Sirunyan A.M. et al. (CMS Collaboration). Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in pp collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.9, 773, 2019.
 325. Aaboud M. et al. (ATLAS and CMS Collaborations). Combinations of single-top-quark production cross-section measurements and $|f_{\mathrm{LV}}V_{\mathrm{tb}}|$ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments // JHEP 5: 88, 2019.
 326. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.7, 564, 2019.
 327. Sirunyan A.M. et al. (CMS Collaboration). An embedding technique to determine $\tau\tau$ backgrounds in proton-proton collision data // JINST 14: no.06, P06032, 2019.
 328. Sirunyan A.M. et al. (CMS Collaboration). Search for charged Higgs bosons in the $H^{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$ decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 7: 142, 2019.
 329. Sirunyan A.M. et al. (CMS Collaboration). Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector // JINST 14: no.07, P07004, 2019.
 330. Sirunyan A.M. et al. (CMS Collaboration). Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to τ lepton pairs // Phys.Rev.D100: no.11, 112002, 2019.
 331. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV // JHEP 6: 143, 2019.
 332. Sirunyan A.M. et al. (CMS Collaboration). Search for a low-mass $\tau^+\tau^-$ resonance in association with a bottom quark in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 5: 210, 2019.
 333. Sirunyan A.M. et al. (CMS Collaboration). Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.11, 886, 2019.
 334. Sirunyan A.M. et al. (CMS Collaboration). Search for resonances decaying to a pair of Higgs bosons in the $\mathrm{b}\overline{\mathrm{b}}\mathrm{q}\overline{\mathrm{q}}\ell\ell\nu$ final state in

- proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 10: 125, 2019.
335. Sirunyan A.M. et al. (CMS Collaboration). Search for the production of $W^\pm W^\pm W^\mp$ events at $\sqrt{s} = 13$ TeV // Phys.Rev.D100: no.1, 12004, 2019.
 336. Sirunyan A.M. et al. (CMS Collaboration). Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV // Phys.Lett.B798: 134985, 2019.
 337. Sirunyan A.M. et al. (CMS Collaboration). Search for a light charged Higgs boson decaying to a W boson and a CP-odd Higgs boson in final states with $e\mu\mu$ or $\mu\mu\mu$ in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 123: no.13, 131802, 2019.
 338. Sirunyan A.M. et al. (CMS Collaboration). Search for low-mass quark-antiquark resonances produced in association with a photon at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 123: no.23, 231803, 2019.
 339. Sirunyan A.M. et al. (CMS Collaboration). Search for Higgs and Z boson decays to J/ψ or Υ pairs in the four-muon final state in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B797: 134811, 2019.
 340. Sirunyan A.M. et al. (CMS Collaboration). Search for vector-like leptons in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D100: no.5, 52003, 2019.
 341. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 8: 150, 2019.
 342. Sirunyan A.M. et al. (CMS Collaboration). Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons // Phys.Lett.B798: 134952, 2019.
 343. Sirunyan A.M. et al. (CMS Collaboration). Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 11: 82, 2019.
 344. Sirunyan A.M. et al. (CMS Collaboration). Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B797: 134876, 2019.
 345. Sirunyan A.M. et al. (CMS Collaboration). Search for pair production of vectorlike quarks in the fully hadronic final state // Phys.Rev.D100: no.7, 72001, 2019.
 346. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the lepton+jets final state in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D100: no.7, 72007, 2019.
 347. Sirunyan A.M. et al. (CMS Collaboration). Search for MSSM Higgs bosons decaying to $\mu + \mu -$ in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B798: 134992, 2019.

348. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the top quark polarization and $\mathrm{t\bar{t}}$ spin correlations using dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D100: no.7, 72002, 2019.
349. Sirunyan A.M. et al. (CMS Collaboration). Study of the $B^+ \rightarrow J/\psi \overline{\Lambda} p$ decay in proton-proton collisions at $\sqrt{s} = 8$ TeV // JHEP 12: 100, 2019.
350. Sirunyan A.M. et al. (CMS Collaboration). Search for physics beyond the standard model in events with overlapping photons and jets // Phys.Rev.Lett. 123: no.24, 241801, 2019.
351. Sirunyan A.M. et al. (CMS Collaboration). Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in pp collisions at $\sqrt{s} = 8$ TeV // Eur.Phys.J.C79: no.11, 969, 2019.
352. Sirunyan A.M. et al. (CMS Collaboration). Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 12: 62, 2019.
353. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.11, 893, 2019.
354. Sirunyan A.M. et al. (CMS Collaboration). Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 10: 139, 2019.
355. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum // JHEP 10: 244, 2019.
356. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry using Higgs boson to diphoton decays at $\sqrt{s} = 13$ TeV // JHEP 11: 109, 2019.
357. Sirunyan A.M. et al. (CMS Collaboration). Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D100: no.11, 112007, 2019.
358. Sirunyan A.M. et al. (CMS Collaboration). Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 12: 61, 2019.
359. Sirunyan A.M. et al. (CMS Collaboration). Search for long-lived particles using delayed photons in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D100: no.11, 112003, 2019.
360. Sirunyan A.M. et al. (CMS Collaboration). Probing the chiral magnetic wave in pPb and PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV using charge-dependent azimuthal anisotropies // Phys.Rev.C100: no.6, 64908, 2019.
361. Sirunyan A.M. et al. (CMS Collaboration). Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s}$

- = $\sqrt{s}$ 13 TeV // Phys.Lett.B793: 520--551, 2019.
362. Sirunyan A.M. et al. (CMS Collaboration). Search for single production of vector-like quarks decaying to a top quark and a W boson in proton-proton collisions at $\sqrt{s}$ = 13 TeV // Eur.Phys.J.C79: 90, 2019.
 363. Sirunyan A.M. et al. (CMS Collaboration). Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at $\sqrt{s_{\mathrm{NN}}}$ = 5.02 TeV // Phys.Rev.Lett. 122: no.15, 152001, 2019.
 364. Sirunyan A.M. et al. (CMS Collaboration). Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s}$ = 13 TeV // Eur.Phys.J.C79: no.5, 421, 2019.
 365. Sirunyan A.M. et al. (CMS Collaboration). Measurement of exclusive Υ photoproduction from protons in pPb collisions at $\sqrt{s_{\mathrm{NN}}}$ = 5.02 TeV // Eur.Phys.J.C79: no.3, 277, 2019.
 366. Sirunyan A.M. et al. (CMS Collaboration). Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\sqrt{s}$ = 13 TeV // JHEP 2: 74, 2019.
 367. Sirunyan A.M. et al. (CMS Collaboration). Observation of prompt J/ψ meson elliptic flow in high-multiplicity pPb collisions at $\sqrt{s_{\mathrm{NN}}}$ = 8.16 TeV // Phys.Lett.B791: 172--194, 2019.
 368. Sirunyan A.M. et al. (CMS Collaboration). Measurement of B^0_{s} meson production in pp and PbPb collisions at $\sqrt{s_{\mathrm{NN}}}$ = 5.02 TeV // Phys.Lett.B796: 168--190, 2019.
 369. Sirunyan A.M. et al. (CMS Collaboration). Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at $\sqrt{s}$ = 13 TeV // JHEP 3: 82, 2019.
 370. Sirunyan A.M. et al. (CMS Collaboration). Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $\sqrt{s_{\mathrm{NN}}}$ = 5.02 TeV // Phys.Lett.B797: 134826, 2019.
 371. Sirunyan A.M. et al. (CMS Collaboration). Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at $\sqrt{s_{\mathrm{NN}}}$ = 5.02 TeV // Phys.Rev.C100: no.2, 24902, 2019.
 372. Sirunyan A.M. et al. (CMS Collaboration). Search for resonant $\mathrm{t}\overline{\mathrm{t}}$ production in proton-proton collisions at $\sqrt{s}$ = 13 TeV // JHEP 4: 31, 2019.
 373. Sirunyan A.M. et al. (CMS Collaboration). Search for rare decays of Z and Higgs bosons to J/ψ and a photon in proton-proton collisions at $\sqrt{s}$ = 13 TeV // Eur.Phys.J.C79: no.2, 94, 2019.
 374. Sirunyan A.M. et al. (CMS Collaboration). Search for new particles decaying to a jet and an emerging jet // JHEP 2: 179, 2019.
 375. Sirunyan A.M. et al. (CMS Collaboration). Search for pair-produced three-jet resonances in proton-proton collisions at $\sqrt{s}$ = 13 TeV // Phys.Rev.D99: no.1,

12010, 2019.

376. Sirunyan A.M. et al. (CMS Collaboration). Studies of Beauty Suppression via Nonprompt D^0 Mesons in Pb-Pb Collisions at $\sqrt{s_{NN}} = 4.76$ TeV // Phys.Rev.Lett. 123: no.2, 22001, 2019.
377. Sirunyan A.M. et al. (CMS Collaboration). Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D99: no.1, 12005, 2019.
378. Sirunyan A.M. et al. (CMS Collaboration). Search for nonresonant Higgs boson pair production in the $\mathbf{b\overline{b}b\overline{b}}$ final state at $\sqrt{s} = 13$ TeV // JHEP 4: 112, 2019.
379. Sirunyan A.M. et al. (CMS Collaboration). Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\sqrt{s} = 13$ TeV via Higgs boson decays to τ leptons // JHEP 6: 93, 2019.
380. Sirunyan A.M. et al. (CMS Collaboration). Search for an $L_{\mu}-L_{\tau}$ gauge boson using $Z \rightarrow 4\mu$ events in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B792: 345--368, 2019.
381. Sirunyan A.M. et al. (CMS Collaboration). Search for pair production of second-generation leptiquarks at $\sqrt{s} = 13$ TeV // Phys.Rev.D99: no.3, 32014, 2019.
382. Sirunyan A.M. et al. (CMS Collaboration). Search for a W' boson decaying to a τ lepton and a neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B792: 107--131, 2019.
383. Sirunyan A.M. et al. (CMS Collaboration). Search for narrow $H \rightarrow \gamma\gamma$ resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 122: no.8, 81804, 2019.
384. Sirunyan A.M. et al. (CMS Collaboration). Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV // JHEP 1: 51, 2019.
385. Sirunyan A.M. et al. (CMS Collaboration). Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1: 40, 2019.
386. Sirunyan A.M. et al. (CMS Collaboration). Search for the Higgs boson decaying to two muons in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 122: no.2, 21801, 2019.
387. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter particles produced in association with a top quark pair at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 122: no.1, 11803, 2019.
388. Sirunyan A.M. et al. (CMS Collaboration). Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1: 183, 2019.
389. Sirunyan A.M. et al. (CMS Collaboration). Study of the underlying event in top quark pair production in $\mathbf{pp}$ collisions at 13 TeV // JHEP 1: 183, 2019.

$\sqrt{s}$ // Eur.Phys.J.C79: no.2, 123, 2019.

390. Sirunyan A.M. et al. (CMS Collaboration). Measurement of differential cross sections for inclusive isolated-photon and photon+jets production in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C79: no.1, 20, 2019.
391. Sirunyan A.M. et al. (CMS Collaboration). Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1: 122, 2019.
392. Sirunyan A.M. et al. (CMS Collaboration). Measurement of differential cross sections for Z boson pair production in association with jets at $\sqrt{s} = 8$ and 13 TeV // Phys.Lett.B789: 19-44, 2019.
393. Sirunyan A.M. et al. (CMS Collaboration). Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B791: 96, 2019.
394. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetric partners of electrons and muons in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B790: 140--166, 2019.
395. Sirunyan A.M. et al. (CMS Collaboration). Search for Higgs boson pair production in the $\gamma\gamma\overline{b}b$ final state in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B788: 7-36, 2019.
396. Sirunyan A.M. et al. (CMS Collaboration). Measurement of nuclear modification factors of $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ mesons in PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Lett.B790: 270--293, 2019.
397. Sirunyan A.M. et al. (CMS Collaboration). Measurement of prompt $\psi(2S)$ production cross sections in proton-lead and proton-proton collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Lett.B790: 509--532, 2019.
398. Sirunyan A.M. et al. (CMS Collaboration). Search for $t\overline{t}H$ production in the $b\overline{b}$ decay channel with leptonic $t\overline{t}$ decays in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 26, 2019.
399. Sirunyan A.M. et al. (CMS Collaboration). Non-Gaussian elliptic-flow fluctuations in PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Lett.B789: 643--665, 2019.
400. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the top quark Yukawa coupling from $t\overline{t}$ kinematic distributions in the dilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D102: 9, 092013, 2020. doi: 10.1103/PhysRevD.102.092013.
401. Sirunyan A.M. et al. (CMS Collaboration). W^+W^- boson pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D102: 9, 092001, 2020. doi: 10.1103/PhysRevD.102.092001.

402. Sirunyan A.M. et al. (CMS Collaboration). Observation of electroweak production of $W\gamma$ with two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B811: 135988, 2020. doi: 10.1016/j.physletb.2020.135988.
403. Sirunyan A.M. et al. (CMS Collaboration). A search for bottom-type, vector-like quark pair production in a fully hadronic final state in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D102: 112004, 2020. doi: 10.1103/PhysRevD.102.112004.
404. Sirunyan A.M. et al. (CMS Collaboration). Measurement of $B_{\mathcal{B}^0 \rightarrow c\bar{c}(2S)\gamma}^{\text{BR}} / B_{\mathcal{B}^0 \rightarrow c\bar{c}(2S)\gamma}^{\text{BR}}$ cross section ratios in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D102: 9, 092007, 2020. doi: 10.1103/PhysRevD.102.092007.
405. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in proton-proton collisions at $\sqrt{s} = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum // JHEP 9: 149, 2020. doi: 10.1007/JHEP09(2020)149.
406. Sirunyan A.M. et al. (CMS Collaboration). Measurements of the W boson rapidity, helicity, double-differential cross sections, and charge asymmetry in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D102: 9, 092012, 2020. doi: 10.1103/PhysRevD.102.092012.
407. Sirunyan A.M. et al. (CMS Collaboration). Search for decays of the 125 GeV Higgs boson into a Z boson and a ρ or ϕ meson // JHEP 11: 39, 2020. doi: 10.1007/JHEP11(2020)039.
408. Sirunyan A.M. et al. (CMS Collaboration). Investigation into the event-activity dependence of $\mathcal{U}(nS)$ relative production in proton-proton collisions at $\sqrt{s} = 7$ TeV // JHEP 11: 1, 2020. doi: 10.1007/JHEP11(2020)001.
409. Sirunyan A.M. et al. (CMS Collaboration). Reconstruction of signal amplitudes in the CMS electromagnetic calorimeter in the presence of overlapping proton-proton interactions // JINST 15: 10, P10002, 2020. doi: 10.1088/1748-0221/15/10/P10002.
410. Sirunyan A.M. et al. (CMS Collaboration). Observation of the Production of Three Massive Gauge Bosons at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 125: 15, 151802, 2020. doi: 10.1103/PhysRevLett.125.151802.
411. Sirunyan A.M. et al. (CMS Collaboration). Evidence for top quark production in nucleus-nucleus collisions // Phys.Rev.Lett. 125: 22, 222001, 2020. doi: 10.1103/PhysRevLett.125.222001.
412. Sirunyan A.M. et al. (CMS Collaboration). Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV // JINST 15: 10, P10017, 2020. doi: 10.1088/1748-0221/15/10/P10017.
413. Sirunyan A.M. et al. (CMS Collaboration). Search for resonant pair production of Higgs bosons in the $bbZZ$ channel in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D102: 3, 032003, 2020. doi: 10.1103/PhysRevD.102.032003.
414. Sirunyan A.M. et al. (CMS Collaboration). Search for a light charged Higgs boson in the $H \rightarrow cs$ channel in proton-proton collisions at $\sqrt{s} = 13$ TeV

// Phys.Rev.D102: 7, 072001, 2020. doi: 10.1103/PhysRevD.102.072001.

415. Sirunyan A.M. et al. (CMS Collaboration). Search for a light pseudoscalar Higgs boson in the boosted $\mu\mu\tau\tau$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 8: 139, 2020. doi: 10.1007/JHEP08(2020)139.
416. Sirunyan A.M. et al. (CMS Collaboration). Observation of the $B^0 \rightarrow X(3872)\phi$ decay // Phys.Rev.Lett. 125: 15, 152001, 2020. doi: 10.1103/PhysRevLett.125.152001.
417. Aad G. et al. (CMS and ATLAS Collaborations). Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $\sqrt{s} = 8$ TeV // JHEP 8: 08, 051, 2020. doi: 10.1007/JHEP08(2020)051.
418. Sirunyan A.M. et al. (CMS Collaboration). Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B809: 135710, 2020. doi: 10.1016/j.physletb.2020.135710.
419. Sirunyan A.M. et al. (CMS Collaboration). Measurement of CKM matrix elements in single top quark $t\bar{t}$ -channel production in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B808: 135609, 2020. doi: 10.1016/j.physletb.2020.135609.
420. Sirunyan A.M. et al. (CMS Collaboration). Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques // JINST 15: 06, P06005, 2020. doi: 10.1088/1748-0221/15/06/P06005.
421. Sirunyan A.M. et al. (CMS Collaboration). Search for disappearing tracks in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B806: 135502, 2020. doi: 10.1016/j.physletb.2020.135502.
422. Sirunyan A.M. et al. (CMS Collaboration). Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV // JHEP 7: 115, 2020. doi: 10.1007/JHEP07(2020)115.
423. Sirunyan A.M. et al. (CMS Collaboration). The production of isolated photons in PbPb and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV // JHEP 7: 116, 2020. doi: 10.1007/JHEP07(2020)116.
424. Sirunyan A.M. et al. (CMS Collaboration). Measurements of $t\bar{t}H$ Production and the CP Structure of the Yukawa Interaction between the Higgs Boson and Top Quark in the Diphoton Decay Channel // Phys.Rev.Lett. 125: 6, 061801, 2020. doi: 10.1103/PhysRevLett.125.061801.
425. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the cross section for $t\bar{t}$ production with additional jets and b jets in pp collisions at $\sqrt{s} = 13$ TeV // JHEP 7: 125, 2020. doi: 10.1007/JHEP07(2020)125.
426. Sirunyan A.M. et al. (CMS Collaboration). Study of central exclusive $\pi^+\pi^-$ production in proton-proton collisions at $\sqrt{s} = 5.02$ and 13 TeV // Eur.Phys.J.C80: 8, 718, 2020. doi: 10.1140/epjc/s10052-020-8166-5.
427. Sirunyan A.M. et al. (CMS Collaboration). Pileup mitigation at CMS in 13 TeV data // JINST 15: 09, P09018, 2020. doi: 10.1088/1748-0221/15/09/P09018.

428. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV and constraints on anomalous quartic couplings // JHEP 6: 76, 2020. doi: 10.1007/JHEP06(2020)076.
429. Sirunyan A.M. et al. (CMS Collaboration). A measurement of the Higgs boson mass in the diphoton decay channel // Phys.Lett.B805: 135425, 2020. doi: 10.1016/j.physletb.2020.135425.
430. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the $\Upsilon(1S)$ pair production cross section and search for resonances decaying to $\Upsilon(1S)\mu^+\mu^-$ in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B808: 135578, 2020. doi: 10.1016/j.physletb.2020.135578.
431. Sirunyan A.M. et al. (CMS Collaboration). Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C80: 8, 752, 2020. doi: 10.1140/epjc/s10052-020-8168-3.
432. Sirunyan A.M. et al. (CMS Collaboration). Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $\sqrt{s} = 13$ TeV // JHEP 7: 126, 2020. doi: 10.1007/JHEP07(2020)126.
433. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the associated production of a Z boson with charm or bottom quark jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.D102: 3, 032007, 2020. doi: 10.1103/PhysRevD.102.032007.
434. Sirunyan A.M. et al. (CMS Collaboration). Measurements with silicon photomultipliers of dose-rate effects in the radiation damage of plastic scintillator tiles in the CMS hadron endcap calorimeter // JINST 15: 06, P06009, 2020. doi: 10.1088/1748-0221/15/06/P06009.
435. Sirunyan A.M. et al. (CMS Collaboration). Study of excited Λ_b^0 states decaying to $\Lambda_b^0\pi^+\pi^-$ in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B803: 135345, 2020. doi: 10.1016/j.physletb.2020.135345.
436. Sirunyan A.M. et al. (CMS Collaboration). Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 5: 52, 2020. doi: 10.1007/JHEP05(2020)052.
437. Sirunyan A.M. et al. (CMS Collaboration). A deep neural network to search for new long-lived particles decaying to jets // Mach.Learn.Sci.Tech. 1: 35012, 2020. doi: 10.1088/2632-2153/ab9023.
438. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\sqrt{s} = 13$ TeV // JHEP 6: 146, 2020. doi: 10.1007/JHEP06(2020)146.
439. Sirunyan A.M. et al. (CMS Collaboration). Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment // JHEP 5: 32, 2020. doi:

10.1007/JHEP05(2020)032.

- 440. Sirunyan A.M. et al. (CMS Collaboration). Constraints on the $\chi_{\mathrm{c}1}$ versus $\chi_{\mathrm{c}2}$ Polarizations in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV // Phys.Rev.Lett. 124: 16, 162002, 2020. doi: 10.1103/PhysRevLett.124.162002.
- 441. Sirunyan A.M. et al. (CMS Collaboration). A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution // Comput.Softw.Big Sci. 4: 1, 10, 2020. doi: 10.1007/s41781-020-00041-z.
- 442. Sirunyan A.M. et al. (CMS Collaboration). Search for a Narrow Resonance Lighter than 200 GeV Decaying to a Pair of Muons in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV // Phys.Rev.Lett. 124: 13, 131802, 2020. doi: 10.1103/PhysRevLett.124.131802.
- 443. Sirunyan A.M. et al. (CMS Collaboration). Determination of the strong coupling constant $\alpha_{\mathrm{S}}(m_{\mathrm{Z}})$ from measurements of inclusive $W^{\pm}$ and Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV // JHEP 6: 18, 2020. doi: 10.1007/JHEP06(2020)018.
- 444. Sirunyan A.M. et al. (CMS Collaboration). Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV // JINST 15: 02, P02027, 2020. doi: 10.1088/1748-0221/15/02/P02027.
- 445. Sirunyan A.M. et al. (CMS Collaboration). A search for the standard model Higgs boson decaying to charm quarks // JHEP 3: 131, 2020. doi: 10.1007/JHEP03(2020)131.
- 446. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 34, 2020. doi: 10.1007/JHEP03(2020)034.
- 447. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the top quark pair production cross section in dilepton final states containing one τ lepton in pp collisions at $\sqrt{s} = 13$ TeV // JHEP 2: 191, 2020. doi: 10.1007/JHEP02(2020)191.
- 448. Sirunyan A.M. et al. (CMS Collaboration). Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\mu\tau$ and $e\tau$ in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 103, 2020. doi: 10.1007/JHEP03(2020)103.
- 449. Sirunyan A.M. et al. (CMS Collaboration). Search for supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV with 137 fb^{-1} in final states with a single lepton using the sum of masses of large-radius jets // Phys.Rev.D101: 5, 052010, 2020. doi: 10.1103/PhysRevD.101.052010.
- 450. Sirunyan A.M. et al. (CMS Collaboration). Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 51, 2020. doi: 10.1007/JHEP03(2020)051.
- 451. Sirunyan A.M. et al. (CMS Collaboration). Search for high mass dijet resonances

- with a new background prediction method in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 5: 33, 2020. doi: 10.1007/JHEP05(2020)033.
452. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in pp Collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 124: 20, 202001, 2020. doi: 10.1103/PhysRevLett.124.202001.
 453. Sirunyan A.M. et al. (CMS Collaboration). Observation of the $\Lambda_b^0 \rightarrow J/\psi \Lambda \phi$ decay in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B802: 135203, 2020. doi: 10.1016/j.physletb.2020.135203.
 454. Sirunyan A.M. et al. (CMS Collaboration). Search for new neutral Higgs bosons through the $H \rightarrow Z A \rightarrow \ell^+ \ell^- \bar{b} b$ process in pp collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 55, 2020. doi: 10.1007/JHEP03(2020)055.
 455. Sirunyan A.M. et al. (CMS Collaboration). Search for dijet resonances using events with three jets in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B805: 135448, 2020. doi: 10.1016/j.physletb.2020.135448.
 456. Sirunyan A.M. et al. (CMS Collaboration). Studies of charm quark diffusion inside jets using PbPb and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Rev.Lett. 125: 10, 102001, 2020. doi: 10.1103/PhysRevLett.125.102001.
 457. Sirunyan A.M. et al. (CMS Collaboration). Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 2: 15, 2020. doi: 10.1007/JHEP02(2020)015.
 458. Sirunyan A.M. et al. (CMS Collaboration). Measurement of properties of $B^0 \rightarrow \mu^+ \mu^-$ decays and search for $B^0 \rightarrow \mu^+ \mu^-$ with the CMS experiment // JHEP 4: 188, 2020. doi: 10.1007/JHEP04(2020)188.
 459. Sirunyan A.M. et al. (CMS Collaboration). Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $\sqrt{s} = 13$ TeV // JHEP 3: 65, 2020. doi: 10.1007/JHEP03(2020)065.
 460. Sirunyan A.M. et al. (CMS Collaboration). Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 14, 2020. doi: 10.1007/JHEP03(2020)014.
 461. Sirunyan A.M. et al. (CMS Collaboration). Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.02 TeV // Eur.Phys.J.C80: 6, 534, 2020. doi: 10.1140/epjc/s10052-020-7834-9.
 462. Sirunyan A.M. et al. (CMS Collaboration). Strange hadron production in pp and pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV // Phys.Rev.C101: 6, 064906, 2020. doi: 10.1103/PhysRevC.101.064906.
 463. Sirunyan A.M. et al. (CMS Collaboration). Study of J/ψ meson production inside jets in pp collisions at $\sqrt{s} = 8$ TeV // Phys.Lett.B804: 135409, 2020.

doi: 10.1016/j.physletb.2020.135409.

464. Sirunyan A.M. et al. (CMS Collaboration). Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft τ Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV // Phys.Rev.Lett. 124: 4, 041803, 2020. doi: 10.1103/PhysRevLett.124.041803.
465. Sirunyan A.M. et al. (CMS Collaboration). Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV // JINST 15: 05, P05002, 2020. doi: 10.1088/1748-0221/15/05/P05002.
466. Sirunyan A.M. et al. (CMS Collaboration). Running of the top quark mass from proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B803: 135263, 2020. doi: 10.1016/j.physletb.2020.135263.
467. Sirunyan A.M. et al. (CMS Collaboration). Evidence for W^+W^- production from double-parton interactions in proton–proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C80: 1, 41, 2020. doi: 10.1140/epjc/s10052-019-7541-6.
468. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the $t\bar{t}b\bar{b}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B803: 135285, 2020. doi: 10.1016/j.physletb.2020.135285.
469. Sirunyan A.M. et al. (CMS Collaboration). Search for electroweak production of a vector-like T quark using fully hadronic final states // JHEP 1: 36, 2020. doi: 10.1007/JHEP01(2020)036.
470. Sirunyan A.M. et al. (CMS Collaboration). Measurement of electroweak production of a W boson in association with two jets in proton–proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C80: 1, 43, 2020. doi: 10.1140/epjc/s10052-019-7585-7.
471. Sirunyan A.M. et al. (CMS Collaboration). Extraction and validation of a new set of CMS PYTHIA8 tunes from underlying-event measurements // Eur.Phys.J.C80: 1, 4, 2020. doi: 10.1140/epjc/s10052-019-7499-4.
472. Sirunyan A.M. et al. (CMS Collaboration). Measurement of $t\bar{t}$ normalised multi-differential cross sections in pp collisions at $\sqrt{s} = 13$ TeV, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions // Eur.Phys.J.C80: 7, 658, 2020. doi: 10.1140/epjc/s10052-020-7917-7.
473. Sirunyan A.M. et al. (CMS Collaboration). Observation of nuclear modifications in $W^{\pm}$ boson production in pPb collisions at $\sqrt{s_{\mathrm{NN}}} = 8.16$ TeV // Phys.Lett.B800: 135048, 2020. doi: 10.1016/j.physletb.2019.135048.
474. Sirunyan A.M. et al. (CMS Collaboration). Multiparticle correlation studies in pPb collisions at $\sqrt{s_{\mathrm{NN}}} = 8.16$ TeV // Phys.Rev.C101: 1, 014912, 2020. doi: 10.1103/PhysRevC.101.014912.
475. Sirunyan A.M. et al. (CMS Collaboration). A multi-dimensional search for new

heavy resonances decaying to boosted WW, WZ, or ZZ boson pairs in the dijet final state at 13 TeV // Eur.Phys.J.C80: 3, 237, 2020. doi: 10.1140/epjc/s10052-020-7773-5.

476. Sirunyan A.M. et al. (CMS Collaboration). Production of Λ_c^+ baryons in proton-proton and lead-lead collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV // Phys.Lett.B803: 135328, 2020. doi: 10.1016/j.physletb.2020.135328.
477. Sirunyan A.M. et al. (CMS Collaboration). Combined search for supersymmetry with photons in proton-proton collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B801: 135183, 2020. doi: 10.1016/j.physletb.2019.135183.
478. Sirunyan A.M. et al. (CMS Collaboration). Search for light pseudoscalar boson pairs produced from decays of the 125 GeV Higgs boson in final states with two muons and two nearby tracks in pp collisions at $\sqrt{s} = 13$ TeV // Phys.Lett.B800: 135087, 2020. doi: 10.1016/j.physletb.2019.135087.
479. Sirunyan A.M. et al. (CMS Collaboration). Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C80: 5, 370, 2020. doi: 10.1140/epjc/s10052-020-7858-1.
480. Sirunyan A.M. et al. (CMS Collaboration). Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 25, 2020. doi: 10.1007/JHEP03(2020)025.
481. Sirunyan A.M. et al. (CMS Collaboration). Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 4: 171, 2020. doi: 10.1007/JHEP04(2020)171.
482. Sirunyan A.M. et al. (CMS Collaboration). Search for direct pair production of supersymmetric partners to the τ lepton in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C80: 3, 189, 2020. doi: 10.1140/epjc/s10052-020-7739-7.
483. Sirunyan A.M. et al. (CMS Collaboration). Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 3: 56, 2020. doi: 10.1007/JHEP03(2020)056.
484. Sirunyan A.M. et al. (CMS Collaboration). Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C80: 2, 75, 2020. doi: 10.1140/epjc/s10052-019-7593-7.
485. Sirunyan A.M. et al. (CMS Collaboration). Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13$ TeV // Eur.Phys.J.C80: 1, 3, 2020. doi: 10.1140/epjc/s10052-019-7493-x.
486. Sirunyan A.M. et al. (CMS Collaboration). Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $\sqrt{s} = 13$ TeV // JHEP 1: 96, 2020. doi:

10.1007/JHEP01(2020)096.

487. Sirunyan A.M. et al. (CMS Collaboration). Measurement of the single top quark and antiquark production cross sections in the $t\bar{t}$ channel and their ratio in proton-proton collisions at $\sqrt{s}=13$ TeV // Phys.Lett.B800: 135042, 2020. doi: 10.1016/j.physletb.2019.135042.